

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Minneapolis/St. Paul**
Waterway: **MISSISSIPPI RIVER** Mile: 383 PWD: 230
Name: **Fort Madison River Boat Dock.**
Location: Mile 383.1AOR, right bank, Mississippi River, approximately 0.8 mile below Atchison, Datum: NPE*
Topeka, and Santa F
Operator: City of Fort Madison (See remarks)
Owner: City of Fort Madison
Address: 902 River Drive. Phone: 319/372-7700
Town: Fort Madison State: IA County: Lee
Railway Connection: None.
Purpose: Mooring casino/excursion boat; boarding passengers.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.628056
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.31417
Remarks: At time of survey (1994) float had not yet been acquired dimensions shown are anticipated. ☐ *NPE = 518.2 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31383 Dock Code: 001 Rock Island District

Port: **Minneapolis/St. Paul**
Waterway: **MISSISSIPPI RIVER** Mile: 517 PWD: 178
Name: **ADM/Clinton Harbor Service Dock.**
Location: Mile 517.3 AOR, right bank, Mississippi River, Clinton, 0.3 mile below upper end of Datum: NPE*
Beaver Slough Channe
Operator: ADM/Clinton Harbor Service.
Owner: ADM/Clinton Harbor Service.
Address: 204 Fifteenth Avenue South Phone: 319/242-0962
Town: Clinton State: IA County: Clinton
Railway Connection: None.
Purpose: Mooring barges for maintenance and repair; mooring floating drydock; mooring barges for fleetling (see Remarks).
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 41.828333
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.18833
Remarks: Offices for barge fleetling and repair serve is located at 204 Fifteenth Avenue South at rear; one 500-ton floating drydock is moored at wharf. Operator maintains nearby fleetling areas as follows: ☐
Fleet Mile/Bank Barge Width ☐ Capy. (barges) Little Rock
Island 517.6-518.0/R 42 3 ☐ Beaver Island 516.5-517.4/R 30 3 ☐ Main
Channel 516.0-517.0/L 63 3 Upper Beaver Slough 516.9-517.4/L* 50
4 ☐ * Beaver Slough Channel ☐
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31517 Dock Code: 705 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 0 PWD: 49
Name: **Mobil Oil Corp., La Crosse Terminal Dock.**
Location: Left bank, Black River, approximately 0.2 mile above Mile 698.1, left bank Mississippi River. Datum:
Operator: Mobil Oil Corp.
Owner: Mobil Oil Corp.
Address: 35 Copeland Avenue Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): | | Latitude (decimal): 43.823056
Total Berthing Space (feet): | | Longitude (decimal): -91.25806
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32903 Dock Code: 010 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 56
Name: **F. J. Robers Co. Dock.**
Location: Right bank, Black River, 1.0 mile above Mile 698.1, right bank Mississippi River; Datum:
above CP Rail System B
Operator: F. J. Robers Co., and Brennan Marine, Inc.
Owner: Charles E. Robers.
Address: 816 South Bainbridge Street Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: One surface track extends to rear of wharf; connects with CP Rail System.
Purpose: Receipt and shipment of miscellaneous dry bulk materials including salt, coal, crushed stone and pig iron; handling steel products and heavy lift items; shipment of grain; mooring barges for fleeting.
Depth Alongside (feet): | | Latitude (decimal): 43.835
Total Berthing Space (feet): | | Longitude (decimal): -91.25861
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32903 Dock Code: 967 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 52
Name: **Hydrite Chemical Co. Dock.**
Location: Left bank, Black River, approximately 1.1 mile above Mile 698.1, left bank Mississippi River; 0.3 mile a Datum:
Operator: Hydrite Chemical Co.
Owner: Hydrite Chemical Co.
Address: 701 Sumner Street Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: One 2-car-capacity surface track, serves terminal in rear; connects with CP Rail System.
Purpose: Receipt of liquid caustic soda.
Depth Alongside (feet): | | Latitude (decimal): 43.835
Total Berthing Space (feet): | | Longitude (decimal): -91.25361
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32903 Dock Code: 005 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 54
Name: **J.F. Brennan Co.**
Location: Right bank, Black River, approximately 1.2 mile above Mile 698.1, right bank Mississippi River; 0.3 mile Datum:
Operator: Brennan Marine, Inc.
Owner: J. F. Brennan Co., Inc.
Address: 820 South Bainbridge Street Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Mooring barges and towboats for maintenance and repair; mooring floating drydock; Handling contractors supplies and equipment.
Depth Alongside (feet): | | Latitude (decimal): 43.837222
Total Berthing Space (feet): | | Longitude (decimal): -91.25861
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32903 Dock Code: 957 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 53
Name: **La Crosse Municipal Terminal.**
Location: Left bank, Black River, approximately 1.2 mile above Mile 698.1, left bank Mississippi River; 0.4 miles Datum:
Operator: Brennan Marine Inc. and various lessees.
Owner: City of La Crosse.
Address: Foot of St. Cloud Street Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Mooring barges; receipt and shipment of miscellaneous dry bulk materials.
Depth Alongside (feet): | | Latitude (decimal): 43.835556
Total Berthing Space (feet): | | Longitude (decimal): -91.25333
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32903 Dock Code: 036 St. Paul District

Port: **Upper Mississippi R**
Waterway: **BLACK RIVER** Mile: 1 PWD: 51
Name: **Midwest Industrial Fuels, Dock No. 1.**
Location: Left bank, Black River, approximately one mile above Mile 698.1, left bank Mississippi River; 0.2 mile a Datum:
Operator: Midwest Industrial Fuels, Inc. and Brennan Marine, Inc.
Owner: Midwest Industrial Fuels, Inc.
Address: 615 Sumner Street Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: One surface track serves 10 unloading stations at terminal in rear; connects with CP Rail System.
Purpose: Receipt of asphalt and petroleum products; mooring barges for fleetings (see Remarks).
Depth Alongside (feet): | | Latitude (decimal): 43.833889
Total Berthing Space (feet): | | Longitude (decimal): -91.25556
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32903 Dock Code: 034 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 50
Name: **Midwest Industrial Fuels, Dock No. 2.**
Location: Left bank, Black River, approximately 0.9 mile above Mile 698.1, left bank Mississippi River; above CP R Datum:
Operator: Midwest Industrial Fuels, Inc.
Owner: Midwest Industrial Fuels, Inc.
Address: 615 Sumner Street Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Receipt of petroleum products (fuel oil).
Depth Alongside (feet): | | Latitude (decimal): 43.832778
Total Berthing Space (feet): | | Longitude (decimal): -91.2575
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32903 Dock Code: 034 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 57
Name: **Northern States Power Co., French Island Plant Dock.**
Location: Right bank, Black River, 0.5 mile above Mile 698.1, right bank Mississippi River; at west side, southern Datum:
Operator: Northern States Power Co.
Owner: Northern States Power Co.
Address: 200 South Bainbridge Street Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): | | Latitude (decimal): 43.828333
Total Berthing Space (feet): | | Longitude (decimal): -91.25944
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32903 Dock Code: 984 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 55
Name: **Westway Trading Corp., La Crosse Terminal Dock.**
Location: Right bank, Black River lower side of slip 0.9 mile above Mile 698.1, right bank Mississippi River; 0.4 Datum:
Operator: Westway Trading Corp.
Owner: Westway Trading Corp.
Address: 411 South Bainbridge Street (office) Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: One 6-car capacity surface track, serves terminal located on opposite side of South Bainbridge Street in rear; connects with CP Rail System.
Purpose: Receipt and shipment of molasses.
Depth Alongside (feet): | | Latitude (decimal): 43.835556
Total Berthing Space (feet): | | Longitude (decimal): -91.25806
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32903 Dock Code: 963 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Croix River** Mile: 22 PWD: 63
Name: **Northern States Power Co., Allen S. King Power Plant Dock.**
Location: Mile 21.6, right bank, St. Croix River, Oak Park Heights, approxi- mately 1.8 miles below Minnesota-Wisc Datum:
Operator: Not operated.
Owner: Northern States Power Co.
Address: 1103 King Plant Road Phone:
Town: Stillwater State: MN County: Washington
Railway Connection: Seven surface tracks serving rotary dumper for unit trains connect Chicago and North Western Transportation Co. and Burlington Northern Railroad.
Purpose: Not used.
Depth Alongside (feet): | | Latitude (decimal): 45.035
Total Berthing Space (feet): | | Longitude (decimal): -92.78028
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32905 Dock Code: 023 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Croix River** Mile: 23 PWD: 62
 Name: **Aiple Towing Co. Dock**
 Location: Mile 22.6, right bank, St. Croix River, Stillwater, approximately 0.9 mile below Minnesota-Wisconsin Int Datum:
 Operator: Aiple Towing Co., Inc. and Aiple Marine Co.
 Owner: City of Stillwater.
 Address: 1250 S. Main Street Phone:
 Town: Stillwater State: MN County: Washington
 Railway Connection: None.
 Purpose: Mooring towboats and barges for repair; mooring floating drydock and company-owned floating equipment.
 Depth Alongside (feet): | | Latitude (decimal): 45.045556
 Total Berthing Space (feet): | | Longitude (decimal): -92.79528
 Remarks:
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32905 Dock Code: 892 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Croix River** Mile: 23 PWD: 60
 Name: **Stillwater Municipal Dock.**
 Location: Mile 23.2, Right bank, St Croix River, Stillwater, approximately 1,000 feet below Minnesota- Wisconsin In Datum:
 Operator: Andaimo Enterprises, LLC.
 Owner: St Croix Boat & Packet Co.
 Address: 225 East Nelson Street Phone:
 Town: Stillwater State: MN County: Washington
 Railway Connection: None.
 Purpose: Landing for excursion vessels 'Majestic Lady', 'Andiamo' and 'Andiamo Queen'; Boarding passengers.
 Depth Alongside (feet): | | Latitude (decimal): 45.053889
 Total Berthing Space (feet): | | Longitude (decimal): -92.80278
 Remarks:
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32905 Dock Code: 887 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Croix River** Mile: 23 PWD: 61
Name: **Stillwater-St. Croix Barge Co., Terminal Dock.**
Location: Mile 23.0, Right bank, St Croix River, Stillwater, approximately 2,000 feet below Minnesota- Wisconsin In Datum:
Operator: Stillwater-St. Croix Barge Co.
Owner: City of Stillwater.
Address: 1250 South Main Street Phone:
Town: Stillwater State: MN County: Washington
Railway Connection: One surface track serving car-loading hopper, and one serving building; connect with Chicago and North Western Transportation Co. and Burlington Northern Railroad.
Purpose: Receipt of dry bulk fertilizers.
Depth Alongside (feet): | | Latitude (decimal): 45.050833
Total Berthing Space (feet): | | Longitude (decimal): -92.8
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32905 Dock Code: 886 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 11 PWD: 113
Name: **U.S. Salt, Port Marilyn Dock.**
Location: Mile 11.1, right bank, Minnesota River, Burnsville approximately 1,800 feet above Interstate Highway 35W Datum: NPE*
Operator: U.S. Salt, Inc.
Owner: Thomas R Johnson
Address: 1020 Black Dog Road Phone: 612/890-8448
Town: Burnsville State: MN County: Dakota
Railway Connection: None.
Purpose: Receipt and direct transfer of miscellaneous bulk materials including salt, coal and stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.751944
Total Berthing Space (feet): 395 | | Longitude (decimal): -92.86194
Remarks: A concrete paved open storage area at rear has capacity for 50,000 tons, approximately 7 + acres of additional open storage area is available as required □*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32907 Dock Code: 888 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Minnesota River** Mile: 13 PWD: 112
 Name: **Dakota Barge Service, Port Cargill Empty; Kraemer and Peavey Fleet**
 Location: Miles 12.8-12.3; 11.5, and 11.0, right bank, Minnesota River, Burnsville, above and below Interstate Hig Datum: NPE*
 Operator: Dakota Barge Service Inc.
 Owner: Dakota Barge Service Inc..
 Address: Phone: 612/731-6399
 Town: Burnsville State: MN County: Dakota
 Railway Connection: None.
 Purpose: Mooring barges for fleeting.
 Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 44.7925
 Total Berthing Space (feet): 24 | 6 | 6 Longitude (decimal): -93.32389
 Remarks: *NPE = 687.2 MSL Each
 fleet is arranged in tiers, each 2 barges wide;
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 875 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Minnesota River** Mile: 13 PWD: 111
 Name: **Port Cargill, Elevator C Dock.**
 Location: Mile 12.9, right bank, Minnesota River, Savage, west side, inner end of slip, approx 2 miles above Inter Datum: NPE*
 Operator: Cargill, Inc.
 Owner: Cargill, Inc.
 Address: 12101 Lynn Avenue Phone: 612/890-1300
 Town: Savage State: MN County: Scott
 Railway Connection: Seven surface tracks, total capacity 75 cars, serve undertrack pit elevator in rear; connect with Chicago and North Western Transportation Co. and CP Rail System.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 9 | | | Latitude (decimal): 44.788333
 Total Berthing Space (feet): 400 | | | Longitude (decimal): -93.32972
 Remarks: Grain elevator at rear, consisting of 33 concrete silos 25 interstices and 6 steel tanks has total capacity for 14,687,000 bushels. □ *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 872 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 13 PWD: 109
Name: **Port Cargill, Fertilizer Dock.**
Location: Mile 13.1, right bank, Minnesota River, Savage, approximately 2.2 miles above Interstate Highway 35W Bri Datum: NPE*
Operator: Cargill, Inc., Fertilizer Division
Owner: Cargill, Inc.
Address: 12120 Lynn Avenue Phone: 612/890-3440
Town: Savage State: MN County: Scott
Railway Connection: One surface track at rear serves warehouses, joins additional trackage serving terminal; connects with Chicago and North Western Transportation Co and CP Rail System.
Purpose: Receipt of dry bulk commodities, including fertilizer, salt, aggregate, and limestone.
Depth Alongside (feet): 10 | | Latitude (decimal): 44.789722
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.33111
Remarks: Terminal at rear has a total of 7 storage buildings with capacity for 125,000 tons; and open storage area for 50,000 tons of salt. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 872 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 13 PWD: 108
Name: **Port Cargill, Molasses Dock.**
Location: Mile 13.3, right bank, Minnesota River, Savage, approximately 2.4 miles above Interstate Highway 35W Bri Datum: NPE*
Operator: Cargill, Inc. Molasses Facility
Owner: Cargill, Inc.
Address: 12105 Lynn Avenue Phone: 612/890-2050
Town: Savage State: MN County: Scott
Railway Connection: None.
Purpose: Receipt of molasses.
Depth Alongside (feet): 10 | | Latitude (decimal): 44.7875
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.33333
Remarks: One 10-inch pipeline extends from wharf to one 3,380,000-gallon storage tank. One 3-inch steam utility line also serves wharf. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 872 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 13 PWD: 110
Name: **Port Cargill, Stiff-leg Dock**
Location: Mile 13.0, right bank, Minnesota River, Savage, approximately 2.1 miles above Interstate Highway 35W Bri Datum: NPE*
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 12120 Lynn Avenue Phone: 612/890-3440
Town: at Savage, State: MN County: Dakota
Railway Connection: One surface track at rear serves warehouses, joins additional trackage serving terminal; connects with Chicago and North Western Transportation Co and CP Rail System.
Purpose: Receipt of general cargo, including tin plate, steel products, cast iron pipe, and lumber.
Depth Alongside (feet): 7 | | Latitude (decimal): 44.791389
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.32861
Remarks: Use of warehouses described under Ref. No. 109. □□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 872 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 13 PWD: 103
Name: **Upper River Services, Port Cargill Load Fleet & Credit River Fleet**
Location: Mile 13.2, left bank, Minnesota River, Port Cargill Load Fleet, and mile 13.5, Credit River Fleet; left Datum: NPE*
Operator: Upper River Services, Inc.
Owner: Upper River Services, Inc.
Address: Phone: 612/292-9293
Town: Bloomington State: MN County: Hennepin
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 - 10 | 9 - 10 | Latitude (decimal): 44.791111
Total Berthing Space (feet): 20 | 22 | Longitude (decimal): -93.33111
Remarks: Barges in each fleet are arranged in tiers, each 3 barges wide. □□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 873 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 14 PWD: 107
Name: **Shiely Co., Port Richards Dock.**
Location: Mile 14.4, right bank, Minnesota River, Savage, approximately 1,000 feet above Normandale Boulevard Brid Datum: NPE*
Operator: Shiely Co. and Richards Asphalt Co.
Owner: Richards Asphalt Co.
Address: 12101 Yosemite Avenue Phone: 612/890-6702
Town: Savage State: MN County: Scott
Railway Connection: One surface track serves plant at rear; connects with Chicago and North Western Transportation Co. and CP Rail System.
Purpose: Shiely Co.: Receipt of sand, gravel, and limestone. □ Richards Asphalt Co.: Receipt of asphalt.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.787222
Total Berthing Space (feet): 250 | | Longitude (decimal): -93.35333
Remarks: Shiely Co.: Open storage area at rear has capacity for 40,000 cubic yards. Limestone is handled for Superior Minerals Corp. and trucked to the company's 8,000 cubic yard capacity storage building located nearby. Richards Asphalt Co.: One 10- to 8-inch pipeline extends from wharf to 32 steel storage tanks at rear; total capacity 166,700 barrels. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32907 Dock Code: 856 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 15 PWD: 106
Name: **Bunge Corporation., Port Bunge (Savage) Elevator Dock**
Location: Mile 14.5, right bank, Minnesota River, Savage, upper side of slip, approximately 0.2 mile above Normand Datum: NPE*
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 12100 Yosemite Avenue Phone: 612/890-1010
Town: Equipment at Sav State: ag County: Scott
Railway Connection: Five surface tracks serve elevator and one car pit at rear; connect with Chicago and North Western Transportation Co and CP Rail System.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.784722
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.35417
Remarks: Grain elevator at rear consisting of 29 concrete silos with 14 interstices, and 5 steel tanks, has capacity for 8,250,000 bushels. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32907 Dock Code: 854 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 15 PWD: 104
Name: **Continental Grain Co., Savage Elevator**
Location: Mile 14.7, right bank, Minnesota River, Savage, lower side of slip, and along bank Datum: NPE*
0.4 mile above Norman
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: 7000 Glendale Avenue, Highway 13 Phone: 612/890-3220
Town: Loading Wharf State: County: Scott
Railway Connection: Twelve surface tracks, total capacity 110 cars, serve undertrack pit, and loading spout at grain elevator in rear; connect with Chicago and North Western Transportation Co.
Purpose: Shipment of grain; receipt of salt and dry bulk fertilizers; mooring barges for fleetings (See Remarks).
Depth Alongside (feet): 9 | | Latitude (decimal): 44.786111
Total Berthing Space (feet): 590 | | Longitude (decimal): -93.36056
Remarks: Grain elevator at rear consisting of 68 concrete silos with 60 interstices has total capacity for 5,000,000 bushels. □ Facility is at the upstream limit of the 9-foot Federal Project for the Minnesota River. □ Dakota Barge Service operates the 'Continental' fleetings area with capacity for 14 barges arranged 2 abreast along the right bank above slip. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32907 Dock Code: 851 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 15 PWD: 105
Name: **Harvest States Cooperatives, Savage Elevator Wharf.**
Location: Mile 14.6, right bank, Minnesota River, Savage, approximately 0.3 mile above Datum: NPE*
Normandale Boulevard Bridge
Operator: Harvest States Cooperatives.
Owner: Harvest States Cooperatives.
Address: 6200 W. Highway 13 Phone: 612/894-9550
Town: Savage State: MN County: Scott
Railway Connection: Four surface tracks, total capacity 90 cars, serve undertrack pit, and loading spout at grain elevator in rear; connect with Chicago and North Western Transportation Co.
Purpose: Shipment of grain (see Remarks).
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 44.785556
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.35694
Remarks: Grain elevator at rear consisting of 9 concrete silos with 4 interstices has total capacity for 565,000 bushels. Elevator is designed for direct transfer of grain from truck or rail to barge. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32907 Dock Code: 853 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Minnesota River** Mile: 9 PWD: 114
 Name: **Northern States Power Co., Black Dog Power Plant Wharf.**
 Location: Mile 8.6, right bank, Minnesota River, approximately one mile above Cedar Avenue (State Highway 77) Brid Datum: NPE*
 Operator: Not operated.
 Owner: Northern States Power Co.
 Address: 1400 Black Dog Road Phone: 612/895-4269
 Town: Burnsville State: MN County: Dakota
 Railway Connection: Trackage serving undertrack pit at plant in rear connects with Chicago and North Western Transportation Co.
 Purpose: Not used.
 Depth Alongside (feet): 9 | | Latitude (decimal): 44.815278
 Total Berthing Space (feet): 2920 | | Longitude (decimal): -93.24778
 Remarks: Open storage area at rear has capacity for 1,000,000 tons. Facility has capacity for holding 20 barges. □ *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 915 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Mississippi** Mile: 487 PWD: 193
 Name: **Continental Cement Co., Bettendorf Terminal Dock.**
 Location: Mile 486.9 AOR, right bank, Mississippi River, Bettendorf, 1.1 miles above Iowa-Illinois Memorial (Inter Datum: NPE*
 Operator: Continental Cement Co.
 Owner: Continental Cement Co.
 Address: 2871 Depot Street Phone: 319/359-8237
 Town: Bettendorf State: IA County: Scott
 Railway Connection: Two surface tracks serve loading spout at terminal in rear; connect with Davenport, Rock Island, and North Western Railway.
 Purpose: Receipt of bulk cement.
 Depth Alongside (feet): 10 | | Latitude (decimal): 41.529722
 Total Berthing Space (feet): 245 | | Longitude (decimal): -90.49278
 Remarks: One 10-inch pneumatic pipeline extends from wharf to 6 storage bins at rear, total capacity 10,000 tons. Cement barges are unloaded at an average rate of 160 tons per hour. One 8-inch compressed air pipeline se plant and truck- and rail-loading spouts are located at terminal in rear. □ □ *NPE = 483.1 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31486 Dock Code: 801 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 306 PWD: 251
Name: **Continental Cement Co. Hannibal Plant Cement Dock.**
Location: Mile 305.8 AOR, right bank, Mississippi River, approximately 3.5 miles below Mark Twain Memorial (U.S. H Datum: NPE*
Operator: Continental Cement Co.
Owner: Continental Cement Co.
Address: Highway 79 South Phone: 314/221-1740
Town: Hannibal State: MO County: Ralls
Railway Connection: Trackage serving cement plant in rear; connects with Burlington Northern Railroad.
Purpose: Shipment of cement.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.694444
Total Berthing Space (feet): 30 | | Longitude (decimal): -91.31472
Remarks: One 12-inch pneumatic pipeline extends to the 2 surge silos on wharf total capacity 4,000 tons from 24 concrete silos with 15 interstices at cement plant in rear, total capacity 60,000 tons. □*NPE = 459.5 MSL
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31306 Dock Code: 001 St. Louis District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 306 PWD: 250
Name: **Continental Cement Co. Hannibal Plant Coal Dock.**
Location: Mile 306.0 AOR, approximately 3.4 miles below Mark Twain Memorial (U.S. Highway 36) Bridge. Datum: NPE*
Operator: Continental Cement Co. Inc.
Owner: Continental Cement Co. Inc.
Address: U.S. Highway 79 South Phone: 314/221-1740
Town: Hannibal State: MO County: Ralls
Railway Connection: Trackage serving cement plant in rear; connects with Burlington Northern Railroad.
Purpose: Receipt of coal; mooring company-owned barges for maintenance and repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 39.683333
Total Berthing Space (feet): 30 | | Longitude (decimal): -91.30972
Remarks: Coal is trucked to a 30,000 ton capacity open storage area at plant in rear. □□*NPE = 459.5 MSL
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31306 Dock Code: 002 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 309 PWD: 249
Name: **Mark Twain Riverboat Dock.**
Location: Mile 308.9 AOR, right bank, Mississippi River, approximately 1,200 feet below Mark Twain Memorial (U.S.) Datum: NPE*
Operator: Mark Twain Riverboat Co.
Owner: Mark Twain Riverboat Co.
Address: Foot of Center Street. Phone: 314/221-3222
Town: Hannibal State: MO County: Marion
Railway Connection: None.
Purpose: Landing for river excursion vessel 'Mark Twain.' Boarding passengers.
Depth Alongside (feet): 7 | | Latitude (decimal): 39.711389
Total Berthing Space (feet): 120 | | Longitude (decimal): -91.35389
Remarks: Ticket office and waiting room are located on floating wharf. □□*NPE = 459.5 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31308 Dock Code: 900 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 310 PWD: 1
Name: **Bunge Corp., East Hannibal Grain Elevator Dock.**
Location: Mile 310.0 AOR, left bank, Mississippi River, East Hannibal, approximately 800 feet above Norfolk Southe Datum:
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Old Highway 36. Phone:
Town: East Hannibal State: IL County: Pike
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 39.7275
Total Berthing Space (feet): | | Longitude (decimal): -91.36222
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31310 Dock Code: 001 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 310 PWD: 248
Name: **Hannibal Iron & Metal Co. Dock.**
Location: Mile 309.5 AOR, right bank, Mississippi River, approximately 0.4 mile above Mark Datum: NPE*
Twain Memorial (U.S. Hi)
Operator: Hannibal Iron & Metal Co.
Owner: Hannibal Iron & Metal Co.
Address: 700 Bridge Street Phone: 314/221-0036
Town: Hannibal State: MO County: Marion
Railway Connection: One surface track serving yard at rear; connects with Burlington Northern Railroad and Norfolk and Western Railway.
Purpose: Shipment and occasional receipt of scrap metal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.718611
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.36028
Remarks: Open storage area for approximately 4,200 tons of scrap metal is located in rear; additional area is available for steel products handled by rail. □ *NPE = 459.5 MSL
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31309 Dock Code: 501 St. Louis District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 320 PWD: 247
Name: **American Cyanamid Co., Hannibal Plant Dock.**
Location: Mile 319.7 AOR, right bank, Mississippi River, Palmyra, approximately 5.3 miles Datum: NPE*
below Lock and Dam No. 2
Operator: American Cyanamid Co.
Owner: American Cyanamid Co.
Address: Route 168 & JJ Spur Phone: 314/769-2011
Town: Palmyra State: MO County: Marion
Railway Connection: Twelve surface tracks serve plant in rear; connect with Burlington Northern Railroad.
Purpose: Receipt of orthoxylene.
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 39.838333
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.43389
Remarks: One 8-inch pipeline extends from wharf to one 1,400,000-gallon orthoxylene storage tank; One 12- and one 8-inch pipelines on wharf were blanked at time of survey. □ *NPE = 459.5 MSL
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31319 Dock Code: 801 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 320 PWD: 245
Name: **MFA, Palmyra Ammonia Terminal Dock.**
Location: Mile 320.4 AOR, right bank, Mississippi River, Palmyra, approximately 4.4 miles below Lock and Dam No. 2 Datum: NPE*
Operator: MFA, Inc.
Owner: CF Industries, Inc.
Address: County Road 'JJ,' Phone: 314/769-2184
Town: Palmyra State: MO County: Marion
Railway Connection: One surface track serving 2 loading stations at terminal; connects with Burlington Northern Railroad.
Purpose: Receipt and shipment of anhydrous ammonia.
Depth Alongside (feet): 5 - 8 | | Latitude (decimal): 39.8475
Total Berthing Space (feet): 450 | | Longitude (decimal): -91.44
Remarks: One 10-inch pipeline extends from wharf to one 10,544,800 ton steel storage tank at terminal in rear.
One 2-inch vapor return line serves wharf. □ *NPE = 459.5 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31320 Dock Code: 501 St. Louis District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 320 PWD: 246
Name: **Northeast Missouri Electric Power Cooperative Palmyra, Fertilizer**
Location: Mile 320.0 AOR, right bank, Mississippi River, Palmyra, approximately 5 miles below Lock and Dam No. 21. Datum: NPE*
Operator: Northeast Missouri Electric Power Cooperative, agent for MFA Inc.; Palmyra Fertilizer
Owner: Northeast Missouri Electric Power Cooperative.
Address: County Road 'JJ,' Phone: 314/769-2181
Town: Palmyra State: MO County: Marion
Railway Connection: Two surface tracks, capacity 11 cars serve car-loading spout and bulk storage warehouse in rear; connect with Burlington Northern Railroad.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.843611
Total Berthing Space (feet): 550 | | Longitude (decimal): -91.43861
Remarks: Timber dry bulk storage warehouse at terminal in rear has storage capacity for 20,000 tons of dry bulk fertilizer. □ *NPE = 459.5 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31320 Dock Code: 101 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 326 PWD: 4
Name: **Quincy Barge Terminal Wharf.**
Location: Mile 327.0 AOR, left bank, Mississippi River, Quincy, approximately 1.1 miles above Lock and Dam No. 21. Datum:
Operator: The Prince Manufacturing Co., d.b.a. Quincy Barge Terminal, Inc.
Owner: City of Quincy and The Prince Manufacturing Co.
Address: Front and Harrison Streets Phone:
Town: Quincy State: IL County: Adams
Railway Connection: None.
Purpose: Receipt and shipment of general cargo and miscellaneous, bulk materials including fertilizer, stone, miscellaneous minerals and ores.
Depth Alongside (feet): | | Latitude (decimal): 39.915833
Total Berthing Space (feet): | | Longitude (decimal): -91.415
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31327 Dock Code: 002 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 326 PWD: 3
Name: **Quincy Soybean Co., Dock No. 2.**
Location: Mile 325.9 AOR, left bank, Mississippi River, Quincy, approximately one mile above Lock and Dam No. 21. Datum:
Operator: Quincy Soybean Co.
Owner: Moorman Manufacturing Co.
Address: Foot of Harrison Street Phone:
Town: Quincy State: IL County: Adams
Railway Connection: None.
Purpose: Shipment of soybean oil.
Depth Alongside (feet): | | Latitude (decimal): 39.914722
Total Berthing Space (feet): | | Longitude (decimal): -91.41472
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31326 Dock Code: 702 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 326 PWD: 2
Name: **Quincy Soybean Co., Meal Dock No. 3.**
Location: Mile 325.8 AOR, left bank, Mississippi River, Quincy, approximately 0.9 mile above Lock and Dam No. 21. Datum:
Operator: Quincy Soybean Co.
Owner: Quincy Soybean Co.
Address: Front and Harrison Streets Phone:
Town: Quincy State: IL County: Adams
Railway Connection: None.
Purpose: Shipment of soybean meal and receipt of grain.
Depth Alongside (feet): | | Latitude (decimal): 39.912778
Total Berthing Space (feet): | | Longitude (decimal): -91.41722
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31326 Dock Code: 702 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 327 PWD: 5
Name: **Moorman Manufacturing Co. Dock.**
Location: Mile 326.6 AOR, left bank, Mississippi River, approximately 2,000 feet below Quincy Memorial Highway Bri Datum:
Operator: Quincy Soybean Co.
Owner: Quincy Soybean Co.
Address: 510 South Front Street Phone:
Town: Quincy State: IL County: Adams
Railway Connection: None.
Purpose: Receipt of miscellaneous, bulk minerals and ores.
Depth Alongside (feet): | | Latitude (decimal): 39.925278
Total Berthing Space (feet): | | Longitude (decimal): -91.415
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31326 Dock Code: 402 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 327 PWD: 6
Name: **Quincy Soybean Co., Dock No. 1.**
Location: Mile 326.8 AOR, left bank, Mississippi River, approximately 1,000 feet below Quincy Datum:
Memorial Highway Bri
Operator: Quincy Soybean Co.
Owner: Quincy Soybean Co.
Address: 320 South Front Street Phone:
Town: Quincy State: IL County: Adams
Railway Connection: None.
Purpose: Shipment of grain and meal; mooring barges for fleeting and repair.(See Remarks).
Depth Alongside (feet): | | Latitude (decimal): 39.928889
Total Berthing Space (feet): | | Longitude (decimal): -91.41528
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31326 Dock Code: 702 St. Louis District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 336 PWD: 244
Name: **Bunge Corp. LaGrange Grain Elevator Dock.**
Location: Mile 335.7 AOR, right bank, Mississippi River, LaGrange, below foot of Lewis Street. Datum: NPE*
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Highway B South Phone: 314/655-2281
Town: LaGrange State: MO County: Lewis
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 40.039444
Total Berthing Space (feet): 525 | | Longitude (decimal): -91.49694
Remarks: Grain elevator at rear consisting of 10 concrete silos with one interstice and one steel tank has total capacity for 1,125,000 bushels. □ *NPE = 470.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31335 Dock Code: 801 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 342 PWD: 243
Name: **Tri-State Fertilizer Co., Canton Terminal Dock.**
Location: Mile 341.7 AOR, right bank, Mississippi River, Canton, approximately 1.5 miles below Lock and Dam No. 20 Datum: NPE*
Operator: Tri-State Fertilizer Co., Inc.
Owner: Tri-State Fertilizer Co., Inc.
Address: Foot of Green Street Phone: 314/288-3318
Town: Canton State: MO County: Lewis
Railway Connection: None.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.1225
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.51333
Remarks: Material is trucked to a 4,000-ton capacity steel and concrete storage warehouse and processing plant located approximately 1/2 mile north of wharf. □ *NPE = 470.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31341 Dock Code: 701 St. Louis District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 343 PWD: 242
Name: **Ayers Oil Co. Dock.**
Location: Mile 342.6 AOR, right bank, Mississippi River, Canton, approximately 0.6 mile below Lock and Dam No. 20 Datum: NPE*
Operator: Ayers Oil Co.
Owner: Ayers Oil Co.
Address: Foot of Grant Street Phone: 314/288-4466
Town: Canton State: MO County: Lewis
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.134444
Total Berthing Space (feet): 96 | | Longitude (decimal): -91.51444
Remarks: Five 6-inch pipelines with two wharf connections extend to 9 steel storage tanks at terminal in rear, total capacity 418,000 barrels. Canton Ferry Landing is located approximately 300 feet below wharf. The vess operated by John Baalman agent for Ursa Farmers Cooperative Co. is used mainly to transport grain trucks to the company's grain elevator at Meyer, IL (Ref. No. 7). □ *NPE = 470.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31342 Dock Code: 601 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 343 PWD: 7
Name: **URSA Farmers Cooperative Co., Meyer Division, Grain Elevator Dock.**
Location: Mile 343.4 AOR, left bank, Mississippi River, Meyer, above Lock and Dam No. 20. Datum:
Operator: URSA Farmers Cooperative Co.
Owner: URSA Farmers Cooperative Co.
Address: HC 61, Box 61, Warsaw, IL. Phone:
Town: Meyer State: IL County: Adams
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 40.146389
Total Berthing Space (feet): | | Longitude (decimal): -91.50667
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31343 Dock Code: 402 St. Louis District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 353 PWD: 241
Name: **Gabe Logsdon & Sons Dock.**
Location: Mile 353.0 AOR, right bank, Mississippi River, Gregory, approximately 7.5 miles below mouth of Des Moines Datum: NPE*
Operator: Gabe Logsdon & Sons.
Owner: Gabe Logsdon & Sons.
Address: Gregory Landing, County Road F. Phone: 816/754-6411
Town: Gregory State: MO County: Clark
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.275833
Total Berthing Space (feet): 180 | | Longitude (decimal): -91.49694
Remarks: Grain elevator at rear consisting of 12 concrete silos with 14 interstices and 4 steel tanks has capacity for 2,500,000 bushels. □ *NPE = 480.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31353 Dock Code: 001 St. Louis District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 360 PWD: 8
Name: **URSA Farmers Cooperative Co., Warsaw Division, Grain Elevator Dock**
Location: Mile 359.6 AOR, left bank, Mississippi River, Warsaw, approximately 1.8 miles below mouth of Des Moines Datum:
Operator: URSA Farmers Cooperative Co.
Owner: URSA Farmers Cooperative Co.
Address: 11 North Water Street Phone:
Town: Warsaw State: IL County: Hancock
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 40.363889
Total Berthing Space (feet): | | Longitude (decimal): -91.44028
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31359 Dock Code: 702 St. Louis District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 362 PWD: 239
Name: **Iowa Gateway Terminal Dock.**
Location: Mile 361.8 AOR, right bank, Mississippi River, approximately 1.8 miles below Keokuk Datum: NPE*
Municipal (U.S. High
Operator: Iowa Gateway Terminal
Owner: Iowa Gateway Terminal
Address: Commercial Street @ K Street Phone: 319/524-5426
Town: Keokuk State: IA County: Lee
Railway Connection: One surface track serves terminal in rear connects with Keokuk Junction Railway and Burlington Northern Railroad.
Purpose: Receipt and shipment of steel products, unitized and heavy lift general cargo and dry bulk materials including fertilizer, coal, salt, stone, pig iron, scrap metal; receipt of grain and lumber.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.384722
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.40833
Remarks: Open storage area at rear has capacity for 50,000 tons of coal and other dry bulk commodities. Company also operates a food grade storage warehouse with 100,000 square feet of storage space on Twin Rivers Industr and a towboat for servicing the company's 100 barge capacity fleet located on the right bank approximately one mile downstream on the opposite side of the Des Moines River. □*NPE = 480.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31361 Dock Code: 801 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 362 PWD: 240
Name: **Keokuk Ferro-Sil Wharf.**
Location: Mile 361.9 AOR, right bank, Mississippi River, approximately 2 miles below Keokuk Datum: NPE*
Municipal (U.S. Highway)
Operator: Keokuk Ferro-Sil Inc.
Owner: Keokuk Ferro-Sil Inc.
Address: Foot of Commercial Street Phone: 319/524-5130
Town: Keokuk State: IA County: Lee
Railway Connection: One marginal surface track along rear of wharf, connects with Burlington Northern Railroad.
Purpose: Receipt of coke and quartzite; shipment of pig iron and 50% ferro-silicon.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.384444
Total Berthing Space (feet): 237 | | Longitude (decimal): -91.41083
Remarks: Steel storage building at rear has capacity for approximately 3,000 tons of 50% ferro-silicon, 4 additional timber bins have total storage capacity for 3,000 tons. Open storage area for pig iron located at plant approximately 7,600 tons. Approximately 600 feet of deteriorating concrete retaining wall located below wharf is used by the Roquette America (Ref. No. 238) for mooring barges. □*NPE = 480.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31362 Dock Code: 001 Rock Island District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 362 PWD: 238
Name: **Roquette America, River Terminal Dock.**
Location: Mile 362.3 AOR, right bank, Mississippi River, approximately 1.6 miles below Keokuk Datum: NPE*
Municipal (U.S. Highway)
Operator: Roquette America, Inc.
Owner: Roquette America, Inc.
Address: South Fifth (Progress) Street Phone: 319/524-5757ext
Town: Keokuk State: IA County: Lee
Railway Connection: Plant trackage in rear connects with Keokuk Junction Railway.
Purpose: Shipment of livestock feed and other grain products.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 40.385556
Total Berthing Space (feet): 155 | | Longitude (decimal): -91.38833
Remarks: Private grain elevator at rear consisting of 6 steel silos; and one flat storage building has total capacity for 800,000 bushels and is served by a truck dumper. Facility is used for shipment of grain products from plant in rear. □□*NPE = 480.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31362 Dock Code: 301 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 363 PWD: 237
Name: **City of Keokuk Hubinger Landing Dock.**
Location: Mile 363.2 AOR, right bank, Mississippi River, approximately 0.7 mile below Keokuk Datum: NPE*
Municipal (U.S. Highw
Operator: City of Keokuk (See remarks).
Owner: City of Keokuk.
Address: 731 Mississippi River Drive. Phone: 319/524-2442
Town: Keokuk State: IA County: Lee
Railway Connection: None.
Purpose: Mooring casino/excursion boat; boarding passengers (See remarks).
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 40.386944
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.38778
Remarks: At time of survey (1994) float had not yet been acquired dimensions shown are anticipated. ☐ *NPE = 480.0 MSL ☐
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31363 Dock Code: 201 Rock Island District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 364 PWD: 236
Name: **U. S. Coast Guard Group Upper Mississippi River Dock.**
Location: Mile 363.6 AOR, right bank, Mississippi River, approximately 1,500 feet below Datum: NPE*
Keokuk Municipal (U.S. Hig
Operator: U. S. Coast Guard.
Owner: U. S. Government.
Address: 221 Mississippi Drive. Phone: 319/524-7511
Town: Keokuk State: IA County: Lee
Railway Connection: None.
Purpose: Mooring U. S. Coast Guard vessels; handling navigational aids.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.389444
Total Berthing Space (feet): 180 | | Longitude (decimal): -91.38083
Remarks: One 4-inch sewage line serves wharf. U. S. Coast Guard Station located at rear. ☐ *NPE = 480.0 MSL ☐
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31363 Dock Code: 401 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 371 PWD: 235
Name: **ORBA-Johnson Transshipment Co. Dock.**
Location: Mile 371.0 AOR, right bank, Mississippi River, Keokuk, approximately 6.5 miles above Lock and Dam No. 19 Datum: NPE*
Operator: ORBA-Johnson Transshipment Co.
Owner: ORBA-Johnson Transshipment Co.
Address: 3254 Mississippi River Road Phone: 319/524-6841
Town: Keokuk State: IA County: Lee
Railway Connection: One surface track serving rotary dumper, rate 3,000 tons per hour (unit train), connects with Burlington Northern Railroad.
Purpose: Shipment of coal.
Depth Alongside (feet): 16 | 10 | Latitude (decimal): 40.526944
Total Berthing Space (feet): 1450 | 20 | Longitude (decimal): -91.39417
Remarks: Open storage area at mine atop bluff has capacity for 300,000 tons of coal and is served by a rotary stacker. Fleeting areas located at breasting barges and revetment on lower side and adjacent to bank on upper loaded and 20 empty barges, respectively. □□*NPE = 518.2 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31371 Dock Code: 101 Rock Island District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 375 PWD: 234
Name: **ADM/Growmark, Montrose Elevator Dock.**
Location: Mile 374.8 AOR, right bank, Mississippi River, Montrose, approximately 10 miles above Lock and Dam No. Datum: NPE*
Operator: Hunold Storage, Inc. and ADM/Growmark subsidiary of Archer Daniels Midland Co.
Owner: ADM/Growmark subsidiary of Archer Daniels Midland Co.
Address: Spruce and Water Streets. Phone: 319/463-5477
Town: Montrose State: IA County: Lee
Railway Connection: None.
Purpose: Receipt of liquid fertilizer (See remarks).
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 40.533889
Total Berthing Space (feet): 550 | | Longitude (decimal): -91.41361
Remarks: Grain elevator at rear consisting of 6 steel tanks with capacity for 200,000 bushels was not in operation at time of survey (1994). One 6-inch pipeline extends from cell to 4 steel fertilizer storage tanks in re 3,700,000 gallons. □□*NPE = 518.2 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31374 Dock Code: 901 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 376 PWD: 9
 Name: **Colusa River Terminal, Elevator Wharf.**
 Location: Mile 376.4 AOR, left bank, Mississippi River, Nauvoo. Datum:
 Operator: Colusa Elevator Co.
 Owner: Colusa Elevator Co.
 Address: Broadway and Water Street Phone:
 Town: Nauvoo State: IL County: Hancock
 Railway Connection: None.
 Purpose: Shipment of grain; mooring barges for fleeting. (See Remarks.)
 Depth Alongside (feet): | | Latitude (decimal): 40.558056
 Total Berthing Space (feet): | | Longitude (decimal): -91.39583
 Remarks:
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31376 Dock Code: 402 St. Louis District

Port: **Upper Mississippi R**
 Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 232
 Name: **Hall Towing Slip.**
 Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
 Operator: Hall Towing, Inc.
 Owner: Hall Towing, Inc.
 Address: 1618 20th Street Phone: 319/372-3078
 Town: Fort Madison State: IA County: Lee
 Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
 Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal and coke; mooring fleet service vessels, mooring vessels and barges for repair; mooring floating drydock.
 Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 40.621111
 Total Berthing Space (feet): 150 | 420 | 250 Longitude (decimal): -91.33333
 Remarks: Slip varies in width from 150- to 200 feet, however is restricted to 120-feet at entrance. □ *NPE = 518.2 MSL
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Dock Code: 001 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 231
Name: **Hall Towing, Barge Terminal Upper Wharf.**
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal, coke, crushed stone; shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.621389
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.33167
Remarks: Bulk storage warehouse at rear has capacity for 18,000 tons of of fertilizer and other bulk commodities. A total of approximately 4 acres of open storage area is available at various locations throughout terminal □ *NPE = 518.2 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31382 Dock Code: 001 Rock Island District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 233
Name: **Hall Towing, Barge Terminal, Lower Wharf.**
Location: Mile 382.0 AOR, right bank, Mississippi River, Fort Madison, approxi- mately 2 miles Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Shipment of grain and dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.620833
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.33333
Remarks: Three steel sheet pile cellular breasting dolphins located below lower side provide fleeting area for 75 barges arranged in tiers 3 barges wide. □ *NPE = 518.2 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31382 Dock Code: 001 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 385 PWD: 10
Name: **Phoenix Chemical Co., Niota Terminal Dock.**
Location: Mile 385.1 AOR, left bank, Mississippi River, Niota, approx 1.2 miles above Atchison, Datum:
Topeka, and Santa
Operator: Phoenix Chemical Co.
Owner: Phoenix Chemical Co.
Address: State Highway No. 9 & Apple River Roa Phone:
Town: Niota State: IL County: Hancock
Railway Connection: None.
Purpose: Receipt and shipment of anhydrous ammonia.
Depth Alongside (feet): | | Latitude (decimal): 40.628889
Total Berthing Space (feet): | | Longitude (decimal): -91.27167
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31385 Dock Code: 102 St. Louis District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 390 PWD: 229
Name: **Colusa Elevator Co., Green Bay Landing Dock.**
Location: Mile 390.1 AOR, right bank, Mississippi River, Green Bay Landing, 6 miles above Datum: NPE*
Atchison Topeka and Sant
Operator: Colusa Elevator Co.
Owner: Colusa Elevator Co.
Address: 2136 Green Bay Road. Phone: 319/372-7852
Town: Wever State: IA County: Lee
Railway Connection: None.
Purpose: Shipment of grain; mooring barges for fleeting (see Remarks).
Depth Alongside (feet): 12 | | Latitude (decimal): 40.645556
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.18778
Remarks: Grain elevator at rear consisting of 5 steel tanks has capacity for 230,000 bushels. □ Hall Towing Co.
maintains the 'Green Bay' fleet at shore moorings along 3,000 feet of bank below wharf. The fleet has
capacity for 45 barges arranged in rows 3 barges wide. □ *NPE = 518.2 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31390 Dock Code: 401 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 390 PWD: 11
Name: **Continental Grain Co., Dallas City Elevator Dock.**
Location: Mile 390.4 AOR, left bank, Mississippi River, Dallas City. Datum:
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: 401 West First Street Phone:
Town: Dallas City State: IL County: Hancock
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 40.636389
Total Berthing Space (feet): | | Longitude (decimal): -91.17444
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31390 Dock Code: 402 St. Louis District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 399 PWD: 228
Name: **I.E.S. Utilities, Burlington Generating Plant Wharf.**
Location: Mile 399.4 AOR, right bank, Mississippi River, Burlington, approxi- mately 4 miles Datum: NPE*
below Burlington Nort
Operator: I.E.S Utilities.
Owner: I.E.S Utilities.
Address: 4282 Sullivan Slough Road Phone: 319/754-7934
Town: Burlington State: IA County: Des Moines
Railway Connection: Two surface tracks serve undertrack pits at open storage area in rear; connect with Burlington Northern Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.743889
Total Berthing Space (feet): 656 | | Longitude (decimal): -91.11444
Remarks: Open storage area located at power plant in rear has capacity for 100,000 tons of coal. □ *NPE = 518.2 MSL
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31399 Dock Code: 421 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 400 PWD: 227
Name: **Koch Nitrogen Co., Burlington Ammonia Terminal Dock.**
Location: Mile 399.5 AOR, right bank, Mississippi River, Burlington, approximately 4 miles below Burlington North Datum: NPE*
Operator: Gulf Central Terminal and Storage Co.
Owner: Koch Nitrogen Co.
Address: 4384 Sullivan Slough Road Phone: 319/752-3761
Town: Burlington State: IA County: Des Moines
Railway Connection: Two surface tracks serve car loading rack with 16 stations; connect with Burlington Northern Railroad.
Purpose: Receipt and occasional shipment of anhydrous ammonia.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.747778
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.11361
Remarks: One 6-inch pipeline extends from wharf to one 10,530,000 gallon steel storage tank at terminal in rear.
One 2-inch steam utility line serves wharf. □ *NPE = 518.2 MSL □
Year of Last Survey: 1994 Corps of Eng'rs Waterway Code: 31399 Dock Code: 401 Rock Island District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 403 PWD: 226
Name: **Matteson Marine Service, South Dock.**
Location: Mile 403.4 AOR, right bank, Mississippi River, approximately 0.2 mile above Burlington Northern Railroad Datum: NPE*
Operator: Matteson Marine Service.
Owner: Matteson Marine Service.
Address: 900 South Front Street. Phone: 319/754-5318
Town: Burlington State: IA County: Des Moines
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for storage and maintenance; mooring barges for fleet (See Remarks).
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 40.8
Total Berthing Space (feet): 100 | 100 | Longitude (decimal): -91.0975
Remarks: Company moors fleet service vessels at wharf for attending fleets at Miles 405; 406 and 407 all located above MacArthur (U.S. Highway 34) Bridge. - □ '405 Fleet' - East side of channel, each side of Moores Bar with 30 barges, arranged 2 abreast. □ '406 Fleet' - West side of channel, east side of Baby Ruth Island with capacity for 60 barges, arranged in tiers 3 barges wide. '407 Fleet' - 2,500 feet along left bank with capacity for 20 barges, arranged in tiers 2 barges wide. □ *NPE = 518.2 MSL □
Year of Last Survey: 1994 Corps of Eng'rs Waterway Code: 31403 Dock Code: 401 Rock Island District

Port Series No. 69

Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
 Waterway: **MISSISSIPPI RIVER** Mile: 404 PWD: 225
 Name: **ADM/Growmark, Burlington South Elevator Dock.**
 Location: Mile 403.6 AOR, right bank, Mississippi River, approximately 0.4 mile above Burlington Northern Railroad Datum: NPE*
 Operator: ADM/ Growmark, a subsidiary of Archer Daniels Midland Co.
 Owner: Burlington Northern Railroad.
 Address: 600 South Front Street. Phone: 319/753-2857
 Town: Burlington State: IA County: Des Moines
 Railway Connection: Burlington Northern, Railroad.: Three surface tracks with storage capacity for 50 cars, serve undertrack pit, and loading spout.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 11 | | Latitude (decimal): 40.802778
 Total Berthing Space (feet): 400 | | Longitude (decimal): -91.09833
 Remarks: Grain elevator at rear consisting of 12 concrete silos with 6 interstices, has capacity for 550,000 bushels. □ *NPE = 518.2 MSL
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31403 Dock Code: 601 Rock Island District

Port: **Upper Mississippi R**
 Waterway: **MISSISSIPPI RIVER** Mile: 404 PWD: 224
 Name: **Burlington River Terminal, South Dock.**
 Location: Mile 403.6 AOR, right bank, Mississippi River, approximately 0.5 mile above Burlington Northern Railroad Datum: NPE*
 Operator: Burlington River Terminal, Inc.
 Owner: Burlington Northern Railroad.
 Address: 100 South Front Street Phone: 319/753-6533
 Town: Burlington State: IA County: Des Moines
 Railway Connection: One surface track, capacity 100 cars, serves undertrack pit and one car floor level track serves storage warehouse at rear; connect with main line trackage of Burlington Northern Railroad.
 Purpose: Receipt and shipment, essentially direct transfer, of coal and other miscellaneous dry bulk commodities.
 Depth Alongside (feet): 10 | | Latitude (decimal): 40.803611
 Total Berthing Space (feet): 640 | | Longitude (decimal): -91.09833
 Remarks: Open storage area at rear has capacity for 18,000 tons. A 60,000 square foot warehouse at rear can be used for storage of bulk or unitized items. □ *NPE = 518.2 MSL □
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Dock Code: 301 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 404 PWD: 12
Name: **Peavey Co., Gulfport Elevator Dock.**
Location: Mile 404.2 AOR, left bank, Mississippi River, Gulfport, above MacArthur (U.S. Highway 34) Bridge. Datum:
Operator: Peavey Co.
Owner: Peavey Co.
Address: Broadway Street Phone:
Town: Gulfport State: IL County: Henderson
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 40.811389
Total Berthing Space (feet): | | Longitude (decimal): -91.09167
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31404 Dock Code: 202 St. Louis District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 405 PWD: 223
Name: **ADM/Growmark, Burlington North Elevator Dock.**
Location: Mile 405.1 AOR, right bank, Mississippi River, Burlington, approximately one mile above MacArthur (U.S. Datum: NPE*
Operator: ADM/ Growmark, a subsidiary of Archer Daniels Midland Co.
Owner: ADM/ Growmark, a subsidiary of Archer Daniels Midland Co.
Address: Foot of Cash Street Phone: 319/753-2857
Town: Burlington State: IA County: Des Moines
Railway Connection: One surface track serves auger unloaders at terminal in rear; connects with Burlington Northern Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.824722
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.09889
Remarks: Grain elevator at rear consisting of 9 concrete silos with 7 interstices has capacity for 450,000 bushels. □ *NPE = 518.2 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31405 Dock Code: 201 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 405 PWD: 222
Name: **Burlington River Terminal, North Dock.**
Location: Mile 405.2 AOR, right bank, Mississippi River, on O'Connell SloughBurlington, one Datum: NPE*
mile above MacArthur (
Operator: Burlington River Terminal, Inc.
Owner: Burlington River Terminal, Inc.
Address: 500 Cash Street Phone: 319/753-6533
Town: Burlington State: IA County: Des Moines
Railway Connection: Two surface tracks, total capacity 12 cars, serve terminal in rear; connect with Burlington Northern Railroad.
Purpose: Receipt and shipment of steel products, containerized general cargo, liquid and dry bulk fertilizer; shipment of gypsum rock and coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.826667
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.09917
Remarks: Bulk storage building and storage dome at rear have total capacity for 28,000 tons. A second building not connected by conveyor has additional storage capacity for 500 tons and contains a packaging plant. A con storage area at terminal has capacity for 3,000 tons of material. One 6-inch pipeline extends from wharf to 3 liquid fertilizer storage tanks, total capacity 3,000,000 gallons.□*NPE = 518.2 MSL
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Dock Code: 301 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 406 PWD: 221
Name: **Matteson Marine Service, North Yard Dock.**
Location: Mile 405.9 AOR, right bank, Mississippi River, on O'Connell SloughBurlington, 1.7 Datum: NPE*
miles above MacArthur
Operator: Matteson Marine Service.
Owner: Matteson Marine Service.
Address: Tama Road Phone: 319/754-5318
Town: Burlington State: IA County: Des Moines
Railway Connection: None.
Purpose: Handling contractors equipment and supplies.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 40.837778
Total Berthing Space (feet): 303 | 150 | Longitude (decimal): -91.09889
Remarks: Contractor's equipment and materials storage yard is located in rear.□□*NPE = 518.2 MSL
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Dock Code: 901 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 410 PWD: 13
Name: **Twomey Co., River Terminal Dock.**
Location: Mile 409.5 AOR, left bank, Mississippi River, Gladstone, approximately one mile below Lock and Dam No. 1 Datum:
Operator: Twomey Co.
Owner: Twomey Co.
Address: Lock and Dam No. 18 Road. Phone:
Town: Gladstone State: IL County: Henderson
Railway Connection: None.
Purpose: Shipment of grain; receipt of dry bulk and liquid fertilizer; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): | | Latitude (decimal): 40.873056
Total Berthing Space (feet): | | Longitude (decimal): -91.03528
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31409 Dock Code: 602 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 416 PWD: 14
Name: **Altair Trading Corp. Dock.**
Location: Mile 415.5 AOR, left bank, Mississippi River, Oquawka. Datum:
Operator: Altair Trading Corp.
Owner: Altair Trading Corp.
Address: Foot of Calhoun Street Phone:
Town: Oquawka State: IL County: Henderson
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 40.926944
Total Berthing Space (feet): | | Longitude (decimal): -90.95889
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31415 Dock Code: 602 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 418 PWD: 220
Name: **AGRI Grain Marketing, Meekers Landing Dock.**
Location: Mile 418.2 AOR, right bank, Mississippi River, Meekers Landing, approximately 8 miles above Lock and Dam Datum: NPE*
Operator: AGRI Grain Marketing.
Owner: AGRI Grain Marketing.
Address: 1477 Meekers Landing Road. Phone: 319/937-6155
Town: Burlington State: IA County: Des Moines
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.969167
Total Berthing Space (feet): 975 | | Longitude (decimal): -90.95722
Remarks: Grain elevator at rear consisting of 25 concrete silos with 24 interstices has capacity for 862,000 bushels. □ *NPE = 536.0 MSL
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31418 Dock Code: 201 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 428 PWD: 15
Name: **ADM/Growmark, Keithsburg Wharf.**
Location: Mile 427.6 AOR, left bank, Mississippi River, Keithsburg, upper side of 500- by 200- foot, rectangular sl Datum:
Operator: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Owner: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Address: Main Street, State Hwy No. 17 Phone:
Town: Keithsburg State: IL County: Mercer
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 41.103056
Total Berthing Space (feet): | | Longitude (decimal): -90.94667
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31427 Dock Code: 502 St. Louis District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 433 PWD: 16
 Name: **Continental Grain Co., New Boston Dock.**
 Location: Mile 433.0 AOR, left bank, Mississippi River, New Boston, approximately 4 miles below Lock and Dam No. Datum:
 Operator: Continental Grain Co.
 Owner: Continental Grain Co.
 Address: Foot of Main Street (State Hwy 17) Phone:
 Town: New Boston State: IL County: Mercer
 Railway Connection: None.
 Purpose: Shipment of grain.
 Depth Alongside (feet): | | Latitude (decimal): 41.166944
 Total Berthing Space (feet): | | Longitude (decimal): -91.00111
 Remarks:
 Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31433 Dock Code: 002 St. Louis District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 450 PWD: 218
 Name: **Farmland Industries, Muscatine Dock.**
 Location: Mile 450.3 AOR, right bank, Mississippi River, approximately 1.5 miles above Muscatine-Louisa County Lin Datum: NPE*
 Operator: Farmland Industries, Inc.
 Owner: Farmland Industries, Inc.
 Address: 2637 Pettibone Avenue. Phone: 319/264-1721
 Town: Muscatine State: IA County: Muscatine
 Railway Connection: Two surface tracks serving undertrack pit and loading spout at terminal in rear, connect with CP Rail System.
 Purpose: Receipt of dry bulk fertilizer; receipt and occasional shipment of liquid fertilizer.
 Depth Alongside (feet): 8 | | Latitude (decimal): 41.356111
 Total Berthing Space (feet): 440 | | Longitude (decimal): -91.07111
 Remarks: Storage warehouse has capacity for 25,000 tons of material. One 6-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 3,030,000 gallons □*NPE = 536.0 MSL
 Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31450 Dock Code: 301 Rock Island District

Port Series No. 69

Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 450 PWD: 219
 Name: **Monsanto, Muscatine Plant Barge Dock.**
 Location: Mile 450.0 AOR, right bank, Mississippi River, approximately 1.3 miles above Muscatine-Louisa County Lin Datum: NPE*
 Operator: Monsanto, The Agricultural Group.
 Owner: Monsanto, The Agricultural Group.
 Address: 2500 Wiggins Road. Phone: 319/262-7386
 Town: Muscatine State: IA County: Muscatine
 Railway Connection: Plant trackage in rear connects with CP Rail System.
 Purpose: Receipt of styrene.
 Depth Alongside (feet): 21 | | Latitude (decimal): 41.350556
 Total Berthing Space (feet): 200 | | Longitude (decimal): -91.07167
 Remarks: Two 8-inch pipelines extend from wharf to 2 steel storage tanks at plant in rear, total capacity 1,200,000 gallons. □ *NPE = 536.0 MSL
 Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31449 Dock Code: 901 Rock Island District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 451 PWD: 216
 Name: **Acme Fuel And Material Co. Dock**
 Location: Mile 451.2 AOR, right bank, Mississippi River, approximately 4.7 miles below State Highway 92 Bridge. Datum: NPE*
 Operator: Acme Fuel and Material Co.
 Owner: W. G. Block Co.
 Address: 2544 Pettibone Avenue Phone: 319/326-1651
 Town: Near Muscatine, State: County: Muscatine
 Railway Connection: One surface track serves plant in rear; connects with CP Rail System.
 Purpose: Shipment of sand and gravel.
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.368333
 Total Berthing Space (feet): 240 | | Longitude (decimal): -91.0675
 Remarks: Open storage area located at sand pit in rear has capacity for 40,000 tons. □ □ *NPE = 536.0 MSL
 Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31451 Dock Code: 251 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 451 PWD: 217
Name: **K. A. Steel Chemicals Dock**
Location: Mile 450.9 AOR, right bank, Mississippi River, approximately 5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: K. A. Steel Chemicals, Inc.
Owner: K. A. Steel Chemicals, Inc.
Address: 2575 Pettibone Avenue Phone: 319/262-8768
Town: Muscatine State: IA County: Muscatine
Railway Connection: None.
Purpose: Receipt of 50% sodium hydroxide solution.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.366667
Total Berthing Space (feet): 180 | | Longitude (decimal): -91.06861
Remarks: One 8-inch pipeline extends from wharf to one 1,500,000-gallon steel storage tank at rear. □ *NPE = 536.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31451 Dock Code: 101 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 451 PWD: 215
Name: **River Terminal Corp./CK Processing Co. Wharf.**
Location: Mile 451.4 AOR, right bank, Mississippi River, approximately 4.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: River Terminal Corp./CK Processing Co.
Owner: River Terminal Corp./CK Processing Co.
Address: 2579 Pettibone Avenue Phone: 319/263-3155
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with capacity for 40 cars serve plant in rear; connects with CP Rail System.
Purpose: Receipt of molasses, liquid and dry fertilizer, coal, fish solubles, and miscellaneous dry and liquid bulk materials; shipment of soybean oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.371111
Total Berthing Space (feet): 510 | | Longitude (decimal): -91.06611
Remarks: Two 10-inch pipelines extend from wharf to 4 steel molasses storage tanks, total capacity 1,700,000 gallons, and six 6-inch pipelines extend to 11 storage tanks for miscellaneous liquids, total capacity 3,640,000 steam line serves wharf. Livestock feed processing plant located in rear. □ □ *NPE = 536.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31451 Dock Code: 301 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556
Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utilized for grain used internally in the manufacturing process. □□*NPE = 536.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31453 Dock Code: 801 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 453 PWD: 214
Name: **Muscatine Power and Water Dock.**
Location: Mile 452.9 AOR, right bank, Mississippi River, approximately 3 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Muscatine Power & Water.
Owner: Muscatine Power & Water.
Address: 2200 Stewart Road Phone: 319/262-3506
Town: Muscatine State: IA County: Muscatine
Railway Connection: One 55-car capacity surface loop track serves undertrack pit at plant in rear connects with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | 15 Latitude (decimal): 41.387222
Total Berthing Space (feet): 800 | | 1200 Longitude (decimal): -91.05389
Remarks: Each section is parallel to shoreline and they meet at a small angle. One 4,000-ton concrete storage silo, and a 400,000-ton open storage area served by a radial stacker are located at rear of lower section. Two front-end loaders and 2 diesel bulldozers serve open storage area. □□*NPE = 536.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31452 Dock Code: 901 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 454 PWD: 209
Name: **Continental Grain Co., Muscatine Grain Elevator Dock.**
Location: Mile 454.3 AOR, right bank, Mississippi River, Muscatine, approximately 1.7 miles below State Highway Datum: NPE*
Operator: Continental Grain Co. and Blackhawk Fleet Inc. (See Remarks)
Owner: Continental Grain Co.
Address: 700 Oregon Street Phone: 319/263-4343
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with capacity for 25 cars serve undertrack pit and loading spout at grain elevator in rear; connect with CP Rail System.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408056
Total Berthing Space (feet): 750 | | Longitude (decimal): -91.05944
Remarks: Grain elevator at rear consisting of 4 concrete silos with 10 interstices and 2 steel tanks has capacity for 1,100,000 bushels. □ Blackhawk Fleet Inc. maintains the 'Towhead Island Fleet' with capacity for 60 barges arranged in 15 tiers each 4 barges wide at the island on opposite side of the channel □ *NPE = 536.0 MSL

Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31454 Dock Code: 301 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972
Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □ *NPE = 536.0 MSL

Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31453 Dock Code: 801 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639
Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal. □□*NPE = 536.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31453 Dock Code: 801 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917
Remarks: *NPE = 536.0 MSL. □□
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31453 Dock Code: 801 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 468 PWD: 208
Name: **Central Iowa Power Cooperative, Fair Station Wharf.**
Location: Mile 468.0 AOR, right bank, Mississippi River, approximately + mile below the village of Montpelier. Datum: NPE*
Operator: Central Iowa Power Cooperative.
Owner: Central Iowa Power Cooperative.
Address: State Highway 22 Phone: 319/381-2062
Town: Montpelier State: IA County: Muscatine
Railway Connection: None.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 41.456389
Total Berthing Space (feet): 740 | | Longitude (decimal): -90.82028
Remarks: Open storage area at rear has capacity for 120,000 tons of coal. Bulldozers move coal to a ground-level pit served by a conveyor extending to power plant. □ *NPE = 545.0 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31468 Dock Code: 001 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 470 PWD: 205
Name: **AGRI Grain Marketing, Buffalo Grain Elevator Dock.**
Location: Mile 469.8 AOR, right bank, Mississippi River, approximately 3 miles below the village of Buffalo. Datum: NPE*
Operator: AGRI Grain Marketing.
Owner: Cargill Inc.
Address: 1657 West Front Street Phone: 319/381-4300
Town: Buffalo State: IA County: Scott
Railway Connection: Four surface tracks with total capacity for 30 cars serves undertrack pit and loading spout at grain elevator in rear; connect with CP Rail System.
Purpose: Shipment of grain and grain products.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.454167
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.77917
Remarks: Grain elevator at rear consisting of 6 concrete silos and 3 steel tanks has capacity for 850,000 bushels. □ *NPE = 545.0 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31469 Dock Code: 801 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 470 PWD: 207
 Name: **Blackhawk Fleet, Buffalo Terminal Dock.**
 Location: Mile 469.6 AOR, right bank, Mississippi River, approximately 3.5 miles below Buffalo Datum: NPE*
 at Scott-Muscatine
 Operator: Blackhawk Fleet Inc.
 Owner: Blackhawk Fleet Inc.
 Address: West Front Street Phone: 319/322-3510
 Town: Buffalo State: IA County: Scott
 Railway Connection: None.
 Purpose: Receipt and shipment of coal and other miscellaneous dry bulk materials.
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.455
 Total Berthing Space (feet): 450 | | Longitude (decimal): -90.78611
 Remarks: Approximately 13 acres of open storage area with capacity for 130,000 tons of material are located at rear. □ Operator maintains the 'Maxwell Island Fleet' with capacity for 15 barges arranged in a block 5 barges long by 3 wide, on the west side of the island at Mile 470.7, approximately one mile above wharf. □ *NPE = 545.0 MSL.
 Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31469 Dock Code: 601 Rock Island District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 470 PWD: 206
 Name: **Cargill Buffalo Terminal Dock.**
 Location: Mile 469.7 AOR, right bank, Mississippi River, approximately 3 miles below the Datum: NPE*
 village of Buffalo.
 Operator: Cargill, Inc.
 Owner: Cargill, Inc.
 Address: 1657 West Front Street Phone: 319/381-2210
 Town: Buffalo State: IA County: Scott
 Railway Connection: One surface track serves terminal in rear; connects with CP Rail System.
 Purpose: Receipt of caustic soda and salt; shipment of vegetable oil.
 Depth Alongside (feet): 9 | | 7 - 9 Latitude (decimal): 41.453889
 Total Berthing Space (feet): 195 | | 195 Longitude (decimal): -90.78083
 Remarks: One 6-inch pipeline extends from wharf to one 2,000,000-gallon caustic soda storage tank, and one 6-inch pipeline extends to wharf from two vegetable oil storage tanks, total capacity 5,000,000 gallons. One 3-in wharf. Open storage area with capacity for 65,000 tons, and 2 timber storage buildings with capacities for 25,000 and 10,000 tons of salt are located in rear. Vegetable oil barge moors end-to lower side at steel sheetsalt barge moors at face overlapping each side. □ □ *NPE = 545.0 MSL.
 Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31469 Dock Code: 801 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 475 PWD: 202
Name: **Koch Materials Co., Davenport Dock.**
Location: Mile 475.4 AOR, right bank, Mississippi River, approximately 3 miles below Interstate Highway 280 Bridge Datum: NPE*
Operator: Koch Materials Co.
Owner: Koch Materials Co.
Address: 561 East Front Street Phone: 319/359-1304
Town: Buffalo State: IA County: Scott
Railway Connection: One surface track serves 6 loading stations at terminal in rear; connects with CP Rail System.
Purpose: Receipt of asphalt and other petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 41.4625
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.67778
Remarks: Three 6-inch pipelines extend from wharf to 2 steel storage tanks for asphalt total capacity 160,000 barrels and to 5 tanks for other petroleum products at terminal in rear, total capacity 215,200 barrels.
□*NPE = 545.0 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31475 Dock Code: 401 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 475 PWD: 204
Name: **Lafarge Corp., Davenport Plant Wharf.**
Location: Mile 474.5 AOR, right bank, Mississippi River, approximately 4 miles below Interstate Highway 280 Bridge Datum: NPE*
Operator: Lafarge Corp.
Owner: Lafarge Corp.
Address: 103 East Front Street Phone: 319/328-6229
Town: Buffalo State: IA County: Scott
Railway Connection: Plant trackage with storage capacity for 80 cars serves cement plant at rear; connects with CP Rail System.per
Purpose: Receipt of coal,sand and clay; Shipment of cement.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.4575
Total Berthing Space (feet): 919 | | Longitude (decimal): -90.68806
Remarks: Two surge silos with total capacity for 1,100 tons at rear of wharf are served by an 8-inch pneumatic pipeline extending from 8 storage silos at cement plant in rear, total capacity 25,000 tons. Open storage area 100,000 tons of material.□□*NPE = 545.0 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31474 Dock Code: 701 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 475 PWD: 203
Name: **Linwood Mining & Minerals Corp. Dock.**
Location: Mile 475.2 AOR, right bank, Mississippi River, approximately 3.2 miles below Interstate Highway 280 Brid Datum: NPE*
Operator: Linwood Mining & Minerals Corp.
Owner: Linwood Mining & Minerals Corp.
Address: 401 East Front Street Phone: 319/324-1931
Town: Buffalo State: IA County: Scott
Railway Connection: None.
Purpose: Shipment of stone; receipt of coal and coke.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.461667
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.67972
Remarks: Open storage area at rear has capacity for approximately 4,500 tons of material. □ *NPE = 545.0 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31475 Dock Code: 301 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 476 PWD: 201
Name: **Amoco Oil Co., Davenport Asphalt Terminal Dock.**
Location: Mile 475.5 AOR, right bank, Mississippi River, approximately 3 miles below Interstate Highway 280 Bridge Datum: NPE*
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: 601 East Front Street Phone: 319/324-5276
Town: Buffalo State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.463056
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.67556
Remarks: Two 8-inch pipelines extend from wharf to 16 steel asphalt storage tanks, total capacity 320,000 barrels. □ *NPE = 545.0 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31475 Dock Code: 501 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 476 PWD: 199
Name: **Blackhawk Fleet Terminal, Wharf and Pier.**
Location: Mile 475.8 AOR, right bank, Mississippi River, approximately 2.5 miles below Interstate Highway 280 Brid Datum: NPE*
Operator: Blackhawk Fleet Inc.
Owner: Blackhawk Fleet Inc.
Address: 10910 South Utah Street Phone: 319/322-3510
Town: Davenport State: IA County: Scott
Railway Connection: One surface track with capacity for 25 cars serves undertrack pit and open storage area at rear; connects with CP Rail System.
Purpose: Receipt of coal, and dry bulk fertilizer, steel products, newsprint, lumber; handling heavy-lift items; mooring midstream fueling vessel, floating drydock, barges and vessels for repair and fleeting.*service
Depth Alongside (feet): 10 | 8 - 10 | Latitude (decimal): 41.463056
Total Berthing Space (feet): 300 | 195 | Longitude (decimal): -90.67056
Remarks: Approximately 8 acres of open storage area at rear has capacity for 100,000 tons of bulk materials. One 300-ton floating drydock is moored at pier located approximately 300 feet upstream from wharf. Operator ma at Smiths Island and at Dewey Island on opposite side of channel with total capacity for 60 barges arranged in tiers up to 8 barges wide.□*NPE = 545.0 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31476 Dock Code: 100 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 476 PWD: 198
Name: **Peavey Co., Davenport East Grain Elevator Dock.**
Location: Mile 475.9 AOR, right bank, Mississippi River, approximately 2.4 miles below Interstate Highway 280 Brid Datum: NPE*
Operator: Peavey Co.
Owner: Mississippi River Grain Inc.
Address: 6603 South Concord Street Phone: 319/326-3581
Town: Davenport State: IA County: Scott
Railway Connection: Three surface tracks serve undertrack pit; connect with CP Rail System.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.463056
Total Berthing Space (feet): 590 | | Longitude (decimal): -90.66972
Remarks: Grain elevator at rear consisting of 10 concrete silos with 4 interstices has capacity for 750,000 bushels. Temporary outside storage area consists of two 4 foot high 300 foot diameter concrete rings covered with having total capacity for 2,400,000 bushels□□*NPE = 545.0 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31476 Dock Code: 001 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 476 PWD: 200
Name: **Peavey Co., Davenport West Grain Elevator Dock.**
Location: Mile 475.7 AOR, right bank, Mississippi River, approximately 2.6 miles below Interstate Highway 280 Brid Datum: NPE*
Operator: Peavey Co.
Owner: Peavey Co.
Address: 701 East Front Street Phone: 319/326-3581
Town: Buffalo State: IA County: Scott
Railway Connection: Three surface tracks with storage capacity for 37 cars serve open storage area at rear; connect with CP Rail System.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including coal and fertilizer; shipment of grain.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 41.463056
Total Berthing Space (feet): 950 | | Longitude (decimal): -90.67306
Remarks: Grain elevator at rear consisting of 6 concrete silos with 7 interstices has capacity for 350,000 bushels. A flat storage building and open concrete- surfaced pads at terminal have capacity for an additional 4,0 grain. Open storage area at rear of bulk material handling area has capacity for 100,000 tons. □*NPE = 545.0 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31475 Dock Code: 701 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 481 PWD: 17
Name: **Rock Island River Terminal Corp. Dock.**
Location: Mile 480.8 AOR, left bank, Mississippi River, Rock Island, approx. 0.6 mi below Davenport Rock Island an Datum:
Operator: Rock Island River Terminal Corp. and Illinois Oil Products, Inc.
Owner: Rock Island River Terminal Corp.
Address: 700 Mill Street Phone:
Town: Rock Island State: IL County: Rock Island
Railway Connection: Two surface tracks serve terminal in rear; connect with the Iowa Interstate Railroad.
Purpose: Receipt and shipment of steel products and miscellaneous, dry bulk materials including fertilizer, ores, salt, coal, and pig iron; receipt of liquid fertilizer; and shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 41.504167
Total Berthing Space (feet): | | Longitude (decimal): -90.59833
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31480 Dock Code: 902 St. Louis District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 482 PWD: 18
 Name: **Jumbers Casino Boat, Rock Island Dock.**
 Location: Mile 482.4 AOR, left bank, Mississippi River, Rock Island, approximately 1,400 feet above Centennial Bri Datum:
 Operator: Jumer's Casino Rock Island.
 Owner: Jumer's Casino Rock Island.
 Address: Foot of 18th Street Phone:
 Town: Rock Island State: IL County: Rock Island
 Railway Connection: None.
 Purpose: Mooring Casino Boat 'Rock Island' (formerly U.S. Army Corps of Engineers Dredge 'Ockerson'); boarding passengers.
 Depth Alongside (feet): | | Latitude (decimal): 41.513056
 Total Berthing Space (feet): | | Longitude (decimal): -90.57583
 Remarks:
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31482 Dock Code: 402 St. Louis District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 483 PWD: 196
 Name: **Builders Sand and Cement Co. Wharf.**
 Location: Mile 483.1 AOR, right bank, Mississippi River, above and opposite Locks and Dam No. 15. Datum: NPE*
 Operator: Builders Sand and Cement Co.
 Owner: Builders Sand and Cement Co.
 Address: 615 East River Drive Phone: 319/322-1758
 Town: Davenport State: IA County: Scott
 Railway Connection: One marginal track along rear of flood wall, connects with CP Rail System.
 Purpose: Receipt of sand, gravel, and crushed stone.
 Depth Alongside (feet): 12 | | Latitude (decimal): 41.522222
 Total Berthing Space (feet): 500 | | Longitude (decimal): -90.56472
 Remarks: Open storage area at rear has capacity for 5,000 tons of material. □□*NPE = 561.0 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31483 Dock Code: 201 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 483 PWD: 197
Name: **President's Landing, Casino Boat Dock.**
Location: Mile 482.5 AOR, right bank, Mississippi River, approximately 1, 500 feet below Dam Datum: NPE*
No. 15.
Operator: The President Riverboat Casino.
Owner: The President Riverboat Casino.
Address: 130 West River Drive Phone: 319/322-2578
Town: Davenport State: IA County: Scott
Railway Connection: None.
Purpose: Mooring casino/excursion boat; boarding passengers.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.518333
Total Berthing Space (feet): 295 | | Longitude (decimal): -90.57556
Remarks: Daily river excursions are normally operated during the period June through October. □ *NPE = 592.0
MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31478 Dock Code: 101 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 483 PWD: 195
Name: **River/Gulf Grain Co., Davenport Dock.**
Location: Mile 483.2 AOR, right bank, Mississippi River, Davenport approximately 1,000 feet Datum: NPE*
above Locks and Dam 15
Operator: River/Gulf Grain Co.
Owner: City of Davenport and Alter Truck & Terminal Corp.
Address: 725 East River Drive Phone: 319/324-1691
Town: Davenport State: IA County: Scott
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.522778
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.56278
Remarks: Grain elevator at rear consisting of 4 steel tanks has capacity for 150,000 bushels. □ *NPE = 483.1
MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31483 Dock Code: 302 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 483 PWD: 194
Name: **W. G. Block Co., Davenport Dock.**
Location: Mile 483.3 AOR, right bank, Mississippi River, Davenport, approximately 0.3 mile above Locks and Dam 15. Datum: NPE*
Operator: W. G. Block Co.
Owner: W. G. Block Co.
Address: 903 East River Drive Phone: 319/326-1651
Town: Davenport State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, occasional receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.523056
Total Berthing Space (feet): 450 | | Longitude (decimal): -90.56167
Remarks: Open storage area at rear has capacity for approximately 75,000 tons of material. Company's office is located at 317 East Fourth Street approximately 1/2 mile south of wharf. □*NPE = 483.1 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31483 Dock Code: 301 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 486 PWD: 19
Name: **Moline Consumers Co. Dock.**
Location: Mile 486.3 AOR, left bank, Mississippi River, Moline, approximately 0.4 mile above Iowa-Illinois Memoria Datum:
Operator: Moline Consumers Co.
Owner: Moline Consumers Co.
Address: 200 Twenty-third Street. Phone:
Town: Moline State: IL County: Rock Island
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): | | Latitude (decimal): 41.513611
Total Berthing Space (feet): | | Longitude (decimal): -90.50333
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31486 Dock Code: 402 St. Louis District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 486 PWD: 20
 Name: **Schadler's River Excursions Dock.**
 Location: Mile 486.4 AOR, left bank, Mississippi River, Moline, approximately 0.5 mile above Iowa-Illinois Memoria Datum:
 Operator: Schadler's River Excursions.
 Owner: Captain Joseph Schadler.
 Address: 2501 River Drive. Phone:
 Town: Moline State: IL County: Rock Island
 Railway Connection: None.
 Purpose: Landing for excursion boat 'Queen of Hearts'; boarding passengers.
 Depth Alongside (feet): | | Latitude (decimal): 41.513889
 Total Berthing Space (feet): | | Longitude (decimal): -90.50222
 Remarks:
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31486 Dock Code: 403 St. Louis District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 487 PWD: 191
 Name: **Amoco Oil Co., Bettendorf Dock.**
 Location: Mile 487.1 AOR, right bank, Mississippi River, approximately 1.3 mile above Iowa-Illinois Memorial (Inte Datum: NPE*
 Operator: Amoco Oil Co.
 Owner: Amoco Oil Co.
 Address: 75 Thirty-first Street Phone: 319/355-2686
 Town: Bettendorf State: IA County: Scott
 Railway Connection: None.
 Purpose: Receipt of petroleum products.
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.529444
 Total Berthing Space (feet): 228 | | Longitude (decimal): -90.48861
 Remarks: One 8- and three 6-inch pipelines extend from wharf to 9 steel storage tanks at terminal in rear, total capacity 237,000 barrels. □ *NPE = 483.1 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Dock Code: 101 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 487 PWD: 189
Name: **Bettendorf Terminal Co. Wharf.**
Location: Mile 487.5 AOR, right bank, Mississippi River, Bettendorf, 1.7 miles above Iowa- Datum: NPE*
Illinois Memorial (Inter
Operator: LeClaire Quarries, Inc.
Owner: Bettendorf Terminal Co.
Address: 3623 Elm Street Phone: 319/355-6223
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Receipt and shipment of sand.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.530278
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.48333
Remarks: Open storage area at rear has capacity for 60,000 tons of material. □ □ *NPE = 483.1 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Dock Code: 501 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 487 PWD: 190
Name: **Phillips Pipe Line Co., Bettendorf Terminal Barge Dock.**
Location: Mile 487.2 AOR, right bank, Mississippi River, approximately 1.4 mile above Iowa- Datum: NPE*
Illinois Memorial (Inte
Operator: Phillips Pipe Line Co.
Owner: Phillips Pipe Line Co.
Address: 139 Thirty-third Street Phone: 319/355-2654
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.529444
Total Berthing Space (feet): 350 | | Longitude (decimal): -90.48722
Remarks: Three 8-inch pipelines extend from wharf to 17 steel storage tanks at terminal in rear, total capacity 550,000 barrels. □ □ *NPE = 483.1 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Dock Code: 201 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 487 PWD: 192
Name: **Phillips Pipe Line Co., Bettendorf West Terminal Barge Dock.**
Location: Mile 487.0 AOR, right bank, Mississippi River, Bettendorf, 1.2 miles above Iowa-Illinois Memorial (Inter Datum: NPE*
Operator: Phillips Pipe Line Co.
Owner: Phillips Pipe Line Co.
Address: 2925 Depot Street Phone: 319/355-2654
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.529722
Total Berthing Space (feet): 350 | | Longitude (decimal): -90.49167
Remarks: Two 8- and one 6-inch pipelines extend from wharf to 8 steel storage tanks at terminal in rear, total capacity 313,000 barrels. □ *NPE = 483.1 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Dock Code: 002 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 488 PWD: 188
Name: **Koch Refining Co., Bettendorf Dock.**
Location: Mi 487.7 AOR, right bank, Mississippi River, Bettendorf, 2.0 miles above Iowa-Illinois Memorial (Interst Datum: NPE*
Operator: Koch Refining Co.
Owner: Koch Refining Co.
Address: 4100 Elm Street Phone: 319/359-1304
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.531389
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.47722
Remarks: One 8- and two 6-inch pipelines extend from wharf to 6 steel storage tanks at terminal in rear, total capacity 150,000 barrels. □ *NPE = 561.0 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Dock Code: 701 Rock Island District

Port Series No. 69

Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 489 PWD: 187
 Name: **UNO-VEN, Bettendorf Terminal Dock.**
 Location: Mile 488.5 AOR, right bank, Mississippi River, Bettendorf, 2.3 miles above Iowa- Illinois Memorial (Inter Datum: NPE*
 Operator: Not operated.
 Owner: Unocal/P.D.V.S.A.
 Address: 312 South Bellingham Street Phone: 319/355-2931
 Town: Riverdale State: IA County: Scott
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 10 | | Latitude (decimal): 41.525556
 Total Berthing Space (feet): 300 | | Longitude (decimal): -90.46361
 Remarks: Wharf formerly was used for receipt of petroleum products. One 8- and one 6-inch pipelines (blanked at time of survey (1993), extend from wharf to 7 steel storage tanks at terminal in rear total capacity 166,70 \square *NPE = 561.0 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31488 Dock Code: 501 Rock Island District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 498 PWD: 186
 Name: **LeClaire Quarries Barge Dock.**
 Location: Mile 498.2 AOR, right bank, Mississippi River, LeClaire, approximately 2.8 miles above Interstate Highwa Datum: NPE*
 Operator: LeClaire Quarries, Inc.
 Owner: LeClaire Quarries, Inc.
 Address: 400 Territorial Road. Phone: 319/289-4214
 Town: LeClaire State: IA County: Scott
 Railway Connection: None.
 Purpose: Receipt of sand; shipment of stone.
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.533333
 Total Berthing Space (feet): 325 | | Longitude (decimal): -90.455
 Remarks: Open storage area at rear for approximately 75,000 tons of sand. Additional open storage area for stone is available at quarry on opposite side of Highway in rear. \square *NPE = 577.0 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31498 Dock Code: 201 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 509 PWD: 21
Name: **Westway Trading Corp., Cordova Terminal Dock.**
Location: Mile 508.6 AOR, left bank, Mississippi River, approximately 5 miles north of Cordova. Datum:
Operator: Westway Trading Corp.
Owner: Westway Trading Corp.
Address: 22220 State Highway 84 Phone:
Town: Cordova State: IL County: Rock Island
Railway Connection: Three surface tracks serve terminal in rear; connect with CP Rail System.
Purpose: Receipt of molasses.
Depth Alongside (feet): | | Latitude (decimal): 41.749722
Total Berthing Space (feet): | | Longitude (decimal): -90.29889
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31507 Dock Code: 012 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 510 PWD: 23
Name: **CF Industries, Inc., North Cordova Upper Dock.**
Location: Mile 509.9 AOR, left bank, Mississippi River, Albany, approximately 3.5 miles below Albany. Datum:
Operator: Not operated.
Owner: CF Industries, Inc.
Address: Phone:
Town: Albany State: IL County: Rock Island
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): | | Latitude (decimal): 41.7625
Total Berthing Space (feet): | | Longitude (decimal): -90.28056
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31509 Dock Code: 502 St. Louis District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 510 PWD: 22
Name: **CF Industries, Inc., North Cordova Warehouse Dock.**
Location: Mile 509.8 AOR, left bank, Mississippi River, Albany, approximately 3.5 miles below Albany. Datum:
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: 23300 River Road Phone:
Town: Albany State: IL County: Rock Island
Railway Connection: One surface track serves storage building and one serving four ammonia-loading positions; connect with CP Rail System.
Purpose: Receipt of dry bulk fertilizer; receipt and shipment of liquid fertilizer and anhydrous ammonia.
Depth Alongside (feet): | | Latitude (decimal): 41.760833
Total Berthing Space (feet): | | Longitude (decimal): -90.28472
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31509 Dock Code: 502 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 512 PWD: 184
Name: **ADM/Clinton Harbor Service, Lower Fleet Moorings.**
Location: Miles 512.3-513.3 AOR, right bank, Mississippi Camanche, River and Beaver Slough Datum: NPE*
Operator: ADM/Clinton Harbor Service.
Owner: Determann Industries, Inc.
Address: 1425 North Washington Boulevard Phone: 319/242-0962
Town: Camanche State: IA County: Clinton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | 9 - 11 | 12 Latitude (decimal): 41.791667
Total Berthing Space (feet): 70 | 22 | 30 Longitude (decimal): -90.24472
Remarks: Operator maintains fleeting areas as follows: ☐ ☐ Fleet Mile/Bank Barge
Width Capy. (barges) ☐ Lower Beaver Slough 512.3-513.3/R 84
3 ☐ Determan Pond 512.2-512.6/R 50 2* * At Entrance, end to- in
basin. ☐ ☐ NPE = 572.0
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31512 Dock Code: 401 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 512 PWD: 185
Name: **Determann Industries Dock. On lower side of slip.**
Location: Mile 512.4 AOR, right bank, Mississippi River, Camanche, lower side of dredged slip. Datum: NPE*
Operator: Determann Industries, Inc.
Owner: Determann Industries, Inc.
Address: 1425 North Washington Boulevard Phone: 319/259-8311
Town: Camanche State: IA County: Clinton
Railway Connection: One surface track serving undertrack pit on apron and two serving warehouses in rear connect with Davenport, Rock Island, and Western Railway.
Purpose: Receipt of coal; receipt and shipment of steel products and miscellaneous bulk materials; shipment of grain.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 41.788056
Total Berthing Space (feet): 100 | 200 | Longitude (decimal): -90.24667
Remarks: Open storage area at terminal for approximately 60,000 tons of coal; one warehouse at terminal has capacity for 6,000 tons of bulk material; 4 other storage buildings at terminal have a total of 146,000 square feet space and at time of survey were being used to store packaged products. □□*NPE = 592.0 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31512 Dock Code: 231 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 514 PWD: 182
Name: **Interstate Power Co., M. L. Kapp Plant Wharf.**
Location: Mile 513.7 AOR, right bank, Mississippi River, Clinton, approximately 1.5 mile above lower end of Beaver Datum: NPE*
Operator: Interstate Power Co.
Owner: Interstate Power Co.
Address: 2001 Beaver Channel Parkway Phone: 319/243-2611
Town: Clinton State: IA County: Clinton
Railway Connection: None.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 16 | | Latitude (decimal): 41.806667
Total Berthing Space (feet): 835 | | Longitude (decimal): -90.23111
Remarks: Open storage area at rear has maximum capacity for 290,000 tons. □□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31514 Dock Code: 211 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 514 PWD: 183
Name: **Vertex Chemical Corp., Clinton Plant Dock.**
Location: Mile 513.7 AOR, right bank, Mississippi River, Clinton, approximately 1.3 miles above lower end of Beave Datum: NPE*
Operator: Vertex Chemical Corp.
Owner: Vertex Chemical Corp.
Address: Industrial Park Drive Phone: 319/243-2000
Town: Clinton State: IA County: Clinton
Railway Connection: Plant trackage in rear connects with Davenport, Rock Island, and Western Railroad; CP Rail System and Chicago and North Western Transportation Co.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.803889
Total Berthing Space (feet): 220 | | Longitude (decimal): -90.235
Remarks: One steam-traced 6-inch pipeline extends from wharf to 3 steel storage tanks in rear, total capacity 3,203,600 gallons. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31513 Dock Code: 901 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 515 PWD: 181
Name: **ADM Corn Processing, Clinton Plant, Corn- Pellet-Loading Dock**
Location: Mile 515.3 AOR, right bank, Mississippi River, Clinton, approximately one mile below upper end of Beaver Datum: NPE*
Operator: ADM Corn Processing, a division of Archer-Daniels Midland Co.
Owner: ADM Corn Processing, a division of Archer-Daniels Midland Co.
Address: 1251 Beaver Channel Parkway Phone: 319/242-1121
Town: Clinton State: IA County: Clinton
Railway Connection: Plant trackage in rear connects with Illinois Central Gulf Railroad and Chicago and North Western Transportation Co.
Purpose: Shipment of corn pellets and livestock feed.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 41.819167
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.21
Remarks: Grain elevator at rear consisting of 3 concrete silos has total capacity for 1200 tons. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31515 Dock Code: 501 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 515 PWD: 24
Name: **Bunge Corp., Albany Elevator Dock.**
Location: Mile 514.5 AOR, left bank, Mississippi River, Albany, approximately 3.5 miles below Chicago and North We Datum:
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: State Highway 84, North. Phone:
Town: Albany State: IL County: Whiteside
Railway Connection: One surface track serves undertrack pit; connects with CP Rail System.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 41.795556
Total Berthing Space (feet): | | Longitude (decimal): -90.20861
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31514 Dock Code: 302 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 516 PWD: 180
Name: **ADM Corn Processing, Clinton Plant, Liquid-Handling Dock.**
Location: Mile 515.5 AOR, right bank, Mississippi River, Clinton, approximately 1.2 miles below upper end of Beave Datum: NPE*
Operator: ADM Corn Processing, a division of Archer-Daniels Midland Co.
Owner: Nabisco Brands, Inc.
Address: 1251 Beaver Channel Parkway Phone: 319/244-1121
Town: Clinton State: IA County: Clinton
Railway Connection: Plant trackage in rear connects with Illinois Central Gulf Railroad and Chicago and North Western Transportation Co.
Purpose: Receipt and shipment of industrial and beverage alcohol, ethanol and crude and refined corn oil and canola oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.823056
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.2025
Remarks: Pipelines extend to wharf from storage tanks at plant in rear: ☐ Product Pipeline Tanks
Capacity ☐ (gallons) Industrial alcohol 8-inch 3 12,000,000 ☐ Beverage
alcohol 4-inch 4 3,000,000 ☐ Corn oil (crude) 4-inch 3 4,000,000 ☐ Corn oil refined
6-inch 3 3,000,000 ☐ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31515 Dock Code: 501 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 517 PWD: 179
Name: **Peavey Co., Clinton River Terminal Dock.**
Location: Mile 517.1 AOR, right bank, Mississippi River, Clinton, 0.5 mile below upper end of Beaver Slough Channel Datum: NPE*
Operator: Peavey Co.
Owner: Peavey Co.
Address: 1811 South 4th Street Phone: 319/242-5251
Town: Clinton State: IA County: Clinton
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.827222
Total Berthing Space (feet): 650 | | Longitude (decimal): -90.19
Remarks: Grain elevator at rear consisting of 4 concrete silos with 5 interstices and 3 steel tanks has total capacity for 700,000 bushels. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31517 Dock Code: 201 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 518 PWD: 177
Name: **Clinton Municipal Loading Dock.**
Location: Mile 517.5 AOR, right bank, Mississippi River, Clinton at upper end of Beaver Slough Channel Datum: NPE*
Operator: ADM/Clinton Harbor Service.
Owner: City of Clinton.
Address: 204 Fifteenth Avenue, South Phone: 319/242-0962
Town: Clinton State: IA County: Clinton
Railway Connection: Two surface track serve rail receiving pits in rear; connect with Chicago and North Western Transportation Co.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including fertilizer, clay, grain, feed pellets, salt, and ferrous sulphate; shipment of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.828889
Total Berthing Space (feet): 650 | | Longitude (decimal): -90.18667
Remarks: One 6-inch pipeline extends to wharf from one 600,000-gallon storage tank in rear. □ *NPE = 572.0 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31517 Dock Code: 531 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 518 PWD: 176
Name: **Clinton Municipal Unloading Dock.**
Location: Mile 517.7 AOR, right bank, Mississippi River, Clinton approximately 0.5 mile below Chicago and North We Datum: NPE*
Operator: Archer Daniels Midland Co.
Owner: City of Clinton.
Address: 204 Fifteenth Avenue, South Phone: 319/242-0962
Town: Iowa, Operated b State: y County: Clinton
Railway Connection: Two surface tracks with capacity for 45 cars, serves loading spout and terminal in rear; connects with Chicago and North Western Transportation Co.
Purpose: Receipt of grain, fertilizer and other dry bulk materials; mooring barges for fleetings (see Remarks).
Depth Alongside (feet): 15 | | Latitude (decimal): 41.830556
Total Berthing Space (feet): 285 | | Longitude (decimal): -90.18528
Remarks: Timber frame storage building at rear has capacity for 20,000 tons of fertilizer. Two additional steel frame storage buildings at terminal are served by truck and have total capacity for 21,000 tons. Clinton Har operates a fleetings area for 30 barges arranged in tiers 3 barges wide along lower portion of Little Rock Island on opposite side of channel. □*NPE = 572 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31517 Dock Code: 501 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 519 PWD: 25
Name: **AGRI Grain Marketing, East Clinton River Terminal Dock.**
Location: Mile 519.4 AOR, left bank, Mississippi River, Fulton, approximately 0.7 mile below North Clinton (State) Datum:
Operator: AGRI Grain Marketing and Agrico Chemical Co.
Owner: AGRI Grain Marketing.
Address: 2630 South Fourth Street Phone:
Town: Fulton State: IL County: Whiteside
Railway Connection: Six surface tracks with total storage capacity for 250 cars serve loading hopper and warehouse in rear; connect with Chicago and North Western Transportation Co.
Purpose: Receipt of dry bulk fertilizer; shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 41.854444
Total Berthing Space (feet): | | Longitude (decimal): -90.16944
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31520 Dock Code: 099 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 519 PWD: 175
Name: **Clinton Showboat Landing.**
Location: Mile 518.5 AOR, right bank, Mississippi River, Clinton, approximately 0.4 mile above U.S. Highway 30 Bri Datum: NPE*
Operator: Mississippi Belle II
Owner: Roberts River Rides.
Address: 311 Riverview Drive Phone: 319/243-9000
Town: Clinton State: IA County: Clinton
Railway Connection: None.
Purpose: Mooring Casino Boat 'Mississippi Belle II'; boarding passengers;
Depth Alongside (feet): 10 | | Latitude (decimal): 41.842778
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.18361
Remarks: The vessel 'Mississippi Belle' maintains a regular excursion schedule, 4 trips per day during the period June through October (1984). □ *NPE = 572 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31518 Dock Code: 501 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 520 PWD: 26
Name: **Fulton River Terminal Dock.**
Location: Mile 520.4 AOR, left bank, Mississippi River, Fulton, above North Clinton (State Highway 136) Bridge. Datum:
Operator: Fulton River Terminal, Division of Burlington River Terminal.
Owner: Fulton River Terminal, Division of Burlington River Terminal.
Address: 110 Eleventh Avenue Phone:
Town: Fulton State: IL County: Whiteside
Railway Connection: None.
Purpose: Receipt and occasional shipment of liquid fertilizer.
Depth Alongside (feet): | | Latitude (decimal): 41.866111
Total Berthing Space (feet): | | Longitude (decimal): -90.16944
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31520 Dock Code: 102 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 537 PWD: 27
Name: **Consolidated Grain & Barge Co., Savanna Grain Elevator Dock.**
Location: Mile 537.2 AOR, left bank, Mississippi River, Savanna, approximately 0.5 mile below U.S. Highway 52 Brid Datum:
Operator: Consolidated Grain & Barge Co., Savanna Grain Elevator Dock.
Owner: Savanna Township, Carroll County, Illinois.
Address: 561 Broderick Drive. Phone:
Town: Savanna State: IL County: Carroll
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 42.095556
Total Berthing Space (feet): | | Longitude (decimal): -90.15917
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31537 Dock Code: 102 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 559 PWD: 174
Name: **Laroche Industries, Bellevue Terminal Dock.**
Location: Mile 559.0 AOR, right bank, Mississippi River, Bellevue, approximately 2.3 miles above Lock and Dam No. Datum: NPE*
Operator: Not Operated
Owner: LaRoche Industries.
Address: 395th Street Phone: 319/323-0123
Town: Bellevue State: IA County: Jackson
Railway Connection: Four surface tracks, capacity 30 cars, asphalt covered at time of survey, connect with CP Rail System.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.293333
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.43306
Remarks: One 8-inch pipeline with two 6-inch connections on wharf extends to one 30,000- ton ammonia storage tank at rear. □ At time of survey (1993), the terminal had not been in operation for 5 years. Storage tank and pipelines were empty and intact. Terminal was for sale. □ □ *NPE = 592.0 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31559 Dock Code: 001 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 573 PWD: 28
Name: **Phoenix Chemical Co., East Dubuque Plant Dock.**
Location: Mile 572.9 AOR, left bank, Mississippi River, East Dubuque, approximately 6.5 miles below Julien Dubuq Datum:
Operator: Phoenix Chemical Co.
Owner: Phoenix Chemical Co.
Address: 16675 U.S. Highway 20, West Phone:
Town: East Dubuque State: IL County: Jo Daviess
Railway Connection: One surface track serves plant in rear; connects with Chicago Central and Pacific Railroad.
Purpose: Shipment of anhydrous ammonia and liquid fertilizer.
Depth Alongside (feet): | | Latitude (decimal): 42.44
Total Berthing Space (feet): | | Longitude (decimal): -90.56139
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31572 Dock Code: 900 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 575 PWD: 31
Name: **AGRI Grain Marketing, East Dubuque, Grain Elevator Wharf.**
Location: Mile 574.5 AOR, left bank, Mississippi River, East Dubuque, upper side of slip located 5 miles below Juli Datum:
Operator: Agri Grain Marketing
Owner: I.E.I. Barge Services Inc..
Address: 18525 U.S. Highway 20 West Phone:
Town: East Dubuque State: IL County: Jo Daviess
Railway Connection: One surface track serves undertrack pit; connects with Chicago Central and Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 42.456944
Total Berthing Space (feet): | | Longitude (decimal): -90.59139
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31574 Dock Code: 508 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 575 PWD: 29
Name: **I.E.I. Barge Services, Bulk Materials Wharves.**
Location: Mile 574.5 AOR, left bank, Mississippi River, East Dubuque, lower side of slip located Datum:
5 miles below Juli
Operator: Aggregate Materials Co. and I.E.I. Barge Services, Inc.
Owner: I.E.I. Barge Services, Inc.
Address: 18525 U.S. Highway 20, West Phone:
Town: East Dubuque State: IL County: Jo Daviess
Railway Connection: One surface track served by a spout at rear joins additional terminal trackage; connects
with Chicago Central and Pacific Railroad.
Purpose: Outer section: Receipt of sand and gravel; Inner section: Receipt and shipment of miscellaneous, dry
bulk materials including, coal, pig iron, and fish meal.
Depth Alongside (feet): | | Latitude (decimal): 42.456389
Total Berthing Space (feet): | | Longitude (decimal): -90.58972
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31574 Dock Code: 502 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 575 PWD: 30
Name: **I.E.I. Barge Services, Coal Wharf.**
Location: Mile 575.5 AOR, left bank, Mississippi River, East Dubuque, at head of slip located 5 Datum:
miles below Julien
Operator: I.E.I. Barge Services, Inc.
Owner: I.E.I. Barge Services, Inc.
Address: 18525 U.S. Highway 20, West Phone:
Town: East Dubuque State: IL County: Jo Daviess
Railway Connection: One surface track serves undertrack pit at rear, joins additional terminal trackage;
connects with Chicago Central and Pacific Railroad.
Purpose: Shipment of coal.
Depth Alongside (feet): | | Latitude (decimal): 42.459444
Total Berthing Space (feet): | | Longitude (decimal): -90.59056
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31574 Dock Code: 502 St. Louis District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 575 PWD: 32
Name: **I.E.I. Barge Services, Inc., Fertilizer Wharf.**
Location: Mile 574.5 AOR, left bank, Mississippi River, East Dubuque, upper side of slip located Datum:
5 miles below Juli
Operator: I.E.I. Barge Services Inc..
Owner: I.E.I. Barge Services Inc..
Address: 18525 U.S. Highway 20 West Phone:
Town: East Dubuque State: IL County: Jo Daviess
Railway Connection: Terminal trackage connects with Chicago Central and Pacific Railroad.
Purpose: Receipt of dry bulk fertilizer, salt and coal.
Depth Alongside (feet): | | Latitude (decimal): 42.455278
Total Berthing Space (feet): | | Longitude (decimal): -90.59139
Remarks:
Year of Last Survey: 1994 Corps of Eng'rs Waterway Code: 31574 Dock Code: 502 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 577 PWD: 33
Name: **Silver Eagle Dock.**
Location: Mile 576.5 AOR, left bank, Mississippi River, East Dubuque, northwest side of Datum:
northerly extension of Fren
Operator: Jo Daviess Riverboat Venture.
Owner: Jo Daviess Riverboat Venture.
Address: 19731 U.S. Highway 20 West Phone:
Town: East Dubuque State: IL County: Jo Daviess
Railway Connection: None.
Purpose: Mooring Casino Boat Silver Eagle; Boarding passengers.
Depth Alongside (feet): | | Latitude (decimal): 42.470278
Total Berthing Space (feet): | | Longitude (decimal): -90.61583
Remarks:
Year of Last Survey: 1994 Corps of Eng'rs Waterway Code: 31576 Dock Code: 501 St. Louis District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 579 PWD: 172
Name: **Dodds Co. Dock.**
Location: Mile 579.4 AOR, right bank, Mississippi River, above Julien Dubuque (U.S. Highway 20 & 52) Bridge. Datum: NPE*
Operator: Not operated.
Owner: Dodds Co.
Address: 35 Terminal Street Phone: 319/583-3035
Town: Dubuque State: IA County: Dubuque
Railway Connection: Trackage in rear connects with Burlington Northern, Railroad and Chicago, Central & Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 42.492222
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.65722
Remarks: At time of survey facilities including a storage building at rear were for sale or lease. ☐ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Dock Code: 301 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 579 PWD: 173
Name: **Koch Materials Co., Terminal No. 2 Dock.**
Location: Mile 579.2 AOR, right bank, Mississippi River, Dubuque, approximately 800 feet below Julien Dubuque (U.S. Datum: NPE*)
Operator: Koch Materials Co., Newt Marine Service and Dubuque Harbor Service.(See Remarks).
Owner: Sinclair Refining Co., Inc.
Address: 200 Terminal Street Phone: 319/556-1304
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Receipt of asphalt and petroleum products; mooring barges for fleetings (see Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 42.489444
Total Berthing Space (feet): 415 | | Longitude (decimal): -90.6575
Remarks: Two 10-inch pipelines extend from wharf to 10 asphalt storage tanks, total capacity 100,000 barrels, and four 10-inch pipelines extend to 5 products storage tanks, total capacity 220,000 barrels. Three barge fle located at shore moorings between miles 578.5 and 575.6
AOR: Width Barge Fleet Bank
Miles (Island* Left (I) 578.2-578.5 3 18 Pearl* Left (I)
575.4-576.2 2-3 48 Mines of Spain** Right 576.Catfish* Left (I)
575.6-576.4 2-3 45 *Newt Marine
Service.**Dubuque Harbor Service (Cassville Harbor Service) (I) Island mooring.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Dock Code: 201 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 164
Name: **Continental Grain Co.**
Location: Mile 580.2 AOR, right bank, Mississippi River, inner end, upper side and head of Dove Harbor. Datum: NPE*
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: 1050 Kerper Boulevard Phone: 319/556-4532
Town: Continental Grai State: n County: Dubuque
Railway Connection: Five surface tracks, total capacity 50 cars, serve undertrack pit, and loading spouts; connect with Chicago, Central & Pacific Railroad.
Purpose: Receipt of fertilizer, salt and other miscellaneous dry bulk materials; receipt of steel coils; shipment of grain.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 42.505833
Total Berthing Space (feet): 375 | 254 | Longitude (decimal): -90.65528
Remarks: Three bulk fertilizer storage warehouses at rear have total capacity for 45,000 tons. Open storage area at rear of lower side bulkhead has capacity for 15,000 tons of salt, Grain elevator at head of slip consist capacity for 54,000 bushels. □□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrns Waterway Code: 31580 Dock Code: 301 St. Paul District

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 580 PWD: 167
Name: **Dubuque Excursion And Casino Boat Dock.**
Location: Mile 579.6 AOR, right bank, Mississippi River, center portion, upper side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Racing Association; Greater Dubuque Riverboat Entertainment Co. L.C. and Robe
Owner: City of Dubuque.
Address: 400 East Third Street Phone: 319/589-4110
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring excursion vessel 'Spirit of Dubuque'; boarding passengers; mooring Casino Boat (See Remarks).
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 42.495556
Total Berthing Space (feet): 230 | 75 | Longitude (decimal): -90.65972
Remarks: At time of survey (1994) the Greater Dubuque Riverboat Entertainment Co. L.C. agent for Dubuque Racing Association was attempting to obtain a suitable vessel and permission to operate casino gambling aboard. Roberts River Rides uses Floats for boarding passengers. □□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrns Waterway Code: 31579 Dock Code: 501 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 171
Name: **Dubuque Tank Terminal Co., Dock A.**
Location: Mile 579.4 AOR, right bank, Mississippi River, at lower side of entrance to Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Tank Terminal Co.
Owner: Dubuque Tank Terminal Co.
Address: 5 Jones Street Phone: 319/588-4641
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track serving loading spout at rear connects with Burlington Northern Railroad and Chicago, Central & Pacific Railroad.
Purpose: Receipt of molasses, liquid and dry bulk fertilizer, and salt.
Depth Alongside (feet): 9 - 16 | | Latitude (decimal): 42.493056
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.65778
Remarks: One 8-inch pipeline extends from wharf to 3 molasses storage tanks, total capacity 3,000,000 gallons and one 4-inch pipeline extends to 4 liquid fertilizer tanks, total capacity 658,000 gallons. □*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Dock Code: 403 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 169
Name: **Dubuque Tank Terminal Co., Dock B.**
Location: Mile 579.4 AOR, right bank, Mississippi River, center portion, upper side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Tank Terminal Co.
Owner: Dubuque Tank Terminal Co.
Address: 5 Jones Street Phone: 319/588-4641
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Receipt of liquid fertilizer; shipment of tallow and soybean oil; mooring barges for gas freeing and maintenance.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.494167
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.66
Remarks: One 6-inch pipeline extends from pier to 3 liquid fertilizer storage tanks, total capacity 4,000,000 gallons. One 4-inch pipeline extends to pier from 4 tallow tanks, total capacity 800,000 gallons, and one 4-in to 6 soybean oil tanks, total capacity 2,400,000 gallons. □□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Dock Code: 403 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 165
Name: **Interstate Power Co., Dubuque Plant Coal Dock.**
Location: Mile 580.0 AOR, right bank, Mississippi River, center portion, lower side of Dove Harbor. Datum: NPE*
Operator: Interstate Power Co.
Owner: Interstate Power Co.
Address: 600 East Eighth Street Phone: 319/582-5421 ex
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 42.503056
Total Berthing Space (feet): 690 | | Longitude (decimal): -90.65639
Remarks: Open storage area at rear has capacity for 176,000 tons. □ □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31580 Dock Code: 001 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 162
Name: **Koch Materials Co., Terminal No. 1 Dock.**
Location: Mile 580.2 AOR, right bank, Mississippi River, Dubuque, upper side of Dove Harbor Datum: NPE*
at entrance.
Operator: Koch Materials Co.
Owner: Koch Materials Co.
Address: 1550 East 12th Street. Phone: 319/556-1304
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track serves 8- car capacity asphalt loading rack, connects with Chicago, Central & Pacific Railroad. □
Purpose: Receipt of asphalt and petroleum products.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 42.503611
Total Berthing Space (feet): 440 | | Longitude (decimal): -90.65278
Remarks: One 10-inch pipeline extends from cell to 6 asphalt storage tanks, total capacity 100,000 barrels and two 10-inch pipelines extend from wharf to 4 products storage tanks, total capacity 200,000 barrels.
□ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31580 Dock Code: 101 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 170
Name: **Newt Marine Service Dock.**
Location: Mile 579.6 AOR, right bank, Mississippi River, outer portion, lower side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: Newt Marine Service.
Owner: Newt Marine Service.
Address: 15 East Third Street. Phone: 319/583-4762
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring company-owned vessels; mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 42.493889
Total Berthing Space (feet): 170 | 70 | 190 Longitude (decimal): -90.65889
Remarks: One 250-ton floating drydock is moored at inner end rear of face. □ □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Dock Code: 404 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 163
Name: **Newt Marine Service, Dove Fleet Mooring.**
Location: Mile 580.1 AOR, right bank, Mississippi River, center portion, upper side of Dove Harbor. Datum: NPE*
Operator: Newt Marine Service.
Owner: Continental Grain Co.
Address: Kerper Boulevard. Phone: 319/583-4762
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 8 | | Latitude (decimal): 42.503333
Total Berthing Space (feet): 9 | | Longitude (decimal): -90.65472
Remarks: Fleetings area has capacity for 18 barges arranged in 2 tiers 5-barges wide and one tier 3-barges wide. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Dock Code: 401 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 166
Name: **Peavey Co., Dubuque Wharf.**
Location: Mile 580.0 AOR, right bank, Mississippi River, lower side of Dove Harbor at entrance. Datum: NPE*
Operator: Peavey Co. and Dubuque Harbor Service (Cassville Harbor Service).
Owner: Peavey Co.
Address: 505 East 7th Street Phone: 319/556-6002
Town: Dubuque State: IA County: Dubuque
Railway Connection: Five surface tracks, total capacity 45 cars, serve undertrack pit, and loading spout; connect with Chicago, Central & Pacific Railroad.
Purpose: Receipt of miscellaneous bulk materials, including fertilizer, coal, and oats; shipment of grain; mooring barges for fleetings. (See Remarks.)
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 42.501111
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.65361
Remarks: Grain elevator at rear consisting of 4 concrete silos and 2 steel tanks has total capacity for 300,000 bushels. Fertilizer storage warehouse at terminal has capacity for 30,000 tons. Open storage area at rear c asphalt-paved pads has total capacity for 90,000 tons of material. □ Dubuque Harbor Service (Cassville Harbor Service) Peavey Mooring, located at outer end of facility has capacity for 12 barges arranged in 2 tiers, each barge wide. □ □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Eng'rs Waterway Code: 31580 Dock Code: 011 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 166
Name: **U.S. Coast Guard Cutter 'WYACONDA' Moorings.**
Location: Mile 579.4 AOR, right bank, Mississippi River, inner portion, lower side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 60 East First Street Phone: 319/582-1965
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring Coast Guard vessel 'Wyaconda'; handling navigation aids.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 42.494722
Total Berthing Space (feet): 205 | | Longitude (decimal): -90.66111
Remarks: *NPE = 529.0 MSL □ □
Year of Last Survey: 1994 Corps of Eng'rs Waterway Code: 31579 Dock Code: 402 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 581 PWD: 161
Name: **Dubuque Tank Terminal Co., Bulk Material Dock.**
Location: Mile 580.6 AOR, right bank, Mississippi River, Dubuque. Datum: NPE*
Operator: Dubuque Tank Terminal Co.
Owner: Dubuque Tank Terminal Co.
Address: 12th Street Extension. Phone: 319/588-2019
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track at rear of wharf total capacity 3 cars, connects with CP Rail System.
Purpose: Receipt of miscellaneous dry bulk materials, principally salt and fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.508056
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.64917
Remarks: Timber storage warehouse at rear has capacity for 8,000 tons of salt. Open storage area at rear consisting of 2 asphalt-paved, and 2 unpaved pads has total capacity for 500,000 tons of bulk materials. □*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31580 Dock Code: 601 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 606 PWD: 34
Name: **Dairyland Power Cooperative, E. J. Stoneman Plant Dock.**
Location: Mile 606.2 AOR, left bank, Mississippi River, foot of Crawford Street. Datum:
Operator: Dairyland Power Cooperative.
Owner: Dairyland Power Cooperative.
Address: 716 Jack Oak Road. Phone:
Town: Cassville State: WI County: Grant
Railway Connection: One surface track serves plant in rear; connects with Burlington Northern Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): | | Latitude (decimal): 42.706667
Total Berthing Space (feet): | | Longitude (decimal): -90.98444
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31606 Dock Code: 202 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 608 PWD: 36
Name: **Cassville River Terminal Slip.**
Location: Mile 608.3 AOR, left bank, Mississippi River, approximately 1.3 mile above Cassville. Datum:
Operator: Cassville River Terminal, division of ADM/ARTCO.
Owner: Cassville River Terminal, division of ADM/ARTCO.
Address: 12111 County Road VV Phone:
Town: Cassville, WI. State: County: Grant
Railway Connection: None.
Purpose: Mooring barges for cleaning; maintenance and repair; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): | | Latitude (decimal): 42.725
Total Berthing Space (feet): | | Longitude (decimal): -91.01278
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31608 Dock Code: 142 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 608 PWD: 35
Name: **Wisconsin Power & Light Co., Nelson Dewey Generating Station Dock.**
Location: Mile 608.0 AOR, left bank, Mississippi River, approximately one mile above Cassville. Datum:
Operator: Wisconsin Power & Light Co.
Owner: Wisconsin Power & Light Co.
Address: County Road VV Phone:
Town: Cassville State: WI County: Grant
Railway Connection: Two surface tracks serve plant in rear; connect with Burlington Northern Railroad.
Purpose: Receipt of coal; shipment of slag.
Depth Alongside (feet): | | Latitude (decimal): 42.722778
Total Berthing Space (feet): | | Longitude (decimal): -91.00972
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 31607 Dock Code: 802 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 623 PWD: 160
Name: **Pattison Brothers Investment, Dock No. 3.**
Location: Mile 623.4 AOR, right bank, Mississippi River, approximately one mile below the municipality of Clayton. Datum: NPE*
Operator: Pattison Brothers, Investment. Inc.
Owner: Pattison Brothers, Investment. Inc.
Address: Great River Road Phone: 319/964-2651
Town: Below Dock No. 3 State: MN County: Grant
Railway Connection: Trackage with capacity for 50 cars serves 2 under track pits; connects with CP Rail System.
Purpose: Receipt and shipment of dry bulk materials including salt, crushed rock and coal; shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 42.642222
Total Berthing Space (feet): 80 | | Longitude (decimal): -90.74111
Remarks: Two steel grain storage tanks at rear have total capacity for 62,000 bushels. An additional 7,500,000 bushels can be stored inside a former mine on bluff in rear. Pattison Brothers Investment Inc. maintains a fleeting area between miles 622.1 and 623.4 (below wharf) for 100 barges arranged in tiers up to 4 wide at 4 steel breasting dolphins and at 4 timber breasting dolphins. ☐ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32623 Dock Code: 501 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 624 PWD: 159
Name: **Pattison Brothers Investment, Dock No. 2.**
Location: Mile 623.5 AOR, right bank, Mississippi River, approximately one mile below the municipality of Clayton. Datum: NPE*
Operator: Pattison Brothers, Investment. Inc.
Owner: Pattison Brothers, Investment. Inc.
Address: Great River Road Phone: 319/964-2651
Town: Fayette State: IA County: Grant
Railway Connection: Trackage with capacity for 50 cars serving terminal in rear connects with CP Rail System.
Purpose: Receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 42.898889
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.13806
Remarks: *NPE = 611.0 MSL Open
storage area in rear has capacity for 50,000 to pipeline extends from wharf to 2 steel storage tanks in rear, total capacity 906,000 gallons.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32623 Dock Code: 501 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 624 PWD: 158
Name: **Pattison Brothers, Mississippi River Terminal, Dock No. 1.**
Location: Mile 624.1 AOR, right bank, Mississippi River, approximately 0.5 mile below the municipality of Clayton. Datum: NPE*
Operator: Pattison Brothers, Mississippi River Terminal.
Owner: Bernard Pattison.
Address: South Maine Street Phone: 319/964-2651
Town: Clayton State: IA County: Grant
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 42.903889
Total Berthing Space (feet): 25 | | Longitude (decimal): -91.14583
Remarks: Grain elevator at rear consisting of 3 steel tanks has capacity for 300,000 bushels. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32624 Dock Code: 311 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 633 PWD: 157
Name: **AGRI Grain Marketing, McGregor River Terminal Dock.**
Location: Mile 633.4 AOR, right bank, Mississippi River, McGregor, approximately 1.3 miles below U.S. Highway 18 B Datum: NPE*
Operator: AGRI Grain Marketing.
Owner: AGRI Grain Marketing.
Address: East B Street Phone: 319/873-3436
Town: McGregor State: IA County: Crawford
Railway Connection: Four surface tracks, total capacity 25 cars, serve undertrack pit and loading spout; connect with CP Rail System.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 43.024444
Total Berthing Space (feet): 780 | | Longitude (decimal): -91.17194
Remarks: Grain elevator at rear consisting of 27 concrete silos with 7 interstices has total capacity for 1,250,000 bushels. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32633 Dock Code: 311 Rock Island District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 635 PWD: 37
Name: **Prairie du Chien, Municipal Dock.**
Location: Mile 634.8 AOR, left bank, Mississippi River, Prairie du Chien, above U.S. Highway 18 Bridge. Datum:
Operator: Didion Inc. and Slaght Construction Inc.
Owner: City of Prairie du Chien.
Address: South Water Street Phone:
Town: Operated By Did State: io County: Crawford
Railway Connection: Two surface tracks with holding capacity for 25 cars serve 2 receiving pits; connect with Wisconsin & Calumet Railroad.
Purpose: Didion Inc.: Shipment of grain; Slaght Construction Inc.: Receipt of salt.
Depth Alongside (feet): | | Latitude (decimal): 43.048889
Total Berthing Space (feet): | | Longitude (decimal): -91.15778
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32635 Dock Code: 202 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 636 PWD: 39
Name: **Prairie Sand & Gravel Co., Grain Dock.**
Location: Mile 636.0 East Channel, left bank, Mississippi River, Prairie du Chien, approximately 1.4 miles above U Datum:
Operator: Didion Inc.
Owner: Prairie Sand & Gravel Co.
Address: 700 Villa Louis Drive. Phone:
Town: Prairie duChien State: N County: Crawford
Railway Connection: Two surface tracks with holding capacity for 15 cars serve undertrack pit; connects with Wisconsin & Calumet Railroad and Burlington Northern Railroad.
Purpose: Shipment of grain
Depth Alongside (feet): | | Latitude (decimal): 43.064167
Total Berthing Space (feet): | | Longitude (decimal): -91.1525
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32636 Dock Code: 002 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 636 PWD: 40
Name: **Prairie Sand & Gravel Co., Prairie du Chien, North Coal Dock.**
Location: East of Mile 636.3, Mississippi River, Sawmill Slough, Prairie du Chien. Datum:
Operator: Prairie Sand & Gravel Co.
Owner: Prairie Sand & Gravel Co.
Address: 700 Villa Louis Drive. Phone:
Town: Prairie du Chien State: WI County: Crawford
Railway Connection: One surface track at rear joins additional terminal trackage; connects with Wisconsin & Calumet Railroad and Burlington Northern Railroad.
Purpose: Receipt of coal and other miscellaneous dry bulk materials.(See Remarks).
Depth Alongside (feet): | | Latitude (decimal): 43.0675
Total Berthing Space (feet): | | Longitude (decimal): -91.15361
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32636 Dock Code: 003 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 636 PWD: 38
Name: **Prairie Sand & Gravel Co., St. Feriolo Island West Dock.**
Location: Mile 636.0 East Channel, left bank, Mississippi River, Prairie du Chien, Datum:
approximately 1.3 miles above U
Operator: Prairie Sand & Gravel Co.
Owner: Prairie Sand & Gravel Co.
Address: 700 Villa Louis Drive. Phone:
Town: Prairie du Chien State: h, County: Crawford
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk materials including coal, salt, crushed stone and fertilizer; Mooring barges for fleetings (See Remarks).
Depth Alongside (feet): | | Latitude (decimal): 43.065
Total Berthing Space (feet): | | Longitude (decimal): -91.15833
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32639 Dock Code: 002 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 637 PWD: 41
Name: **Prairie Sand & Gravel Co., Swingle Docks.**
Location: East of Mile 636.5, Mississippi River, left bank of Marais de Saint Feriole, Prairie du Chien. Datum:
Operator: Prairie Sand & Gravel Co.
Owner: Prairie Sand & Gravel Co.
Address: County Highway K North Phone:
Town: Prairie du Chien State: WI County: Crawford
Railway Connection: None.
Purpose: Lower dock: Mooring company-owned equipment for cleaning, maintenance and repair; Upper dock: Receipt of salt.
Depth Alongside (feet): | | Latitude (decimal): 43.069167
Total Berthing Space (feet): | | Longitude (decimal): -91.15389
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32636 Dock Code: 002 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 660 PWD: 156
Name: **Brennan Marine, Lansing Fleet Mooring.**
Location: Mile 659.4 AOR, right bank, Mississippi River, Lansing, approximately 4 miles below State Highway 82 Bri Datum: NPE*
Operator: Brennan Marine, Inc.
Owner: Interstate Power Co.
Address: Power Plant Road Phone: 608/782-3670
Town: Lansing State: IA County: Crawford
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 13 | | Latitude (decimal): 43.335556
Total Berthing Space (feet): 15 | | Longitude (decimal): -91.16222
Remarks: *NPE = 620.0 MSL Fleeting
area has capacity for 24 barges arranged in □ *NPE = 631.0 MSL
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32659 Dock Code: 401 Rock Island District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 660 PWD: 155
Name: **Interstate Power Co., Lansing Plant Coal Dock.**
Location: Mile 660.3 AOR, right bank, Mississippi River, Lansing, approximately 3 miles below State Highway 82 Bri Datum: NPE*
Operator: Interstate Power Co.
Owner: Interstate Power Co.
Address: 2320 Power Plant Road Phone: 319/538-4717
Town: Lansing State: IA County: Allamakee
Railway Connection: One unused surface track at plant in rear connects with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 13 | | Latitude (decimal): 43.338056
Total Berthing Space (feet): 24 | | Longitude (decimal): -91.17
Remarks: Open storage area at rear served by radial stacker has total capacity for 685,000 tons. □ Brennan Marine, Inc. uses lower 2 cells for mooring barges for cleaning prior to transferring to fleet described under Ref. No. 156. □ □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32660 Dock Code: 001 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 679 PWD: 42
Name: **Dairyland Power Cooperative, Genoa Plant No. 3 Wharf.**
Location: Mile 678.5 AOR, Left bank, Mississippi River, Genoa, approximately 0.7 mile below Lock and Dam No. 8. Datum:
Operator: Dairyland Power Cooperative
Owner: Dairyland Power Cooperative.
Address: State Highway 35 Phone:
Town: Genoa State: WI County: Vernon
Railway Connection: One surface track serves plant; connects with Burlington Northern Railroad.
Purpose: Receipt of coal; mooring barges for fleetings (See Remarks)
Depth Alongside (feet): | | Latitude (decimal): 43.558056
Total Berthing Space (feet): | | Longitude (decimal): -91.23444
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32678 Dock Code: 702 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 696 PWD: 43
Name: **City of La Crosse, Isle LaPlume Dock and Fleet Mooring.**
Location: Mile 696.4 AOR, left bank, Mississippi River, approximately one mile below State Highway 61 Bridge. Datum:
Operator: Brennan Marine, Inc.
Owner: City of La Crosse.
Address: P.O. Box 2557 Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous dry bulk materials; mooring barges for fleeting (see Remarks).
Depth Alongside (feet): | | Latitude (decimal): 43.795556
Total Berthing Space (feet): | | Longitude (decimal): -91.25972
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32696 Dock Code: 402 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 697 PWD: 46
Name: **Holnam, LaCrosse Cement Terminal Dock.**
Location: Mile 697.4 AOR, left bank, Mississippi River, approximately 200 feet below State Highway 61 Bridge. Datum:
Operator: Holnam Inc.
Owner: Holnam Inc.
Address: 617 Cross Street Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Receipt of cement.
Depth Alongside (feet): | | Latitude (decimal): 43.807778
Total Berthing Space (feet): | | Longitude (decimal): -91.25778
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32697 Dock Code: 612 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 697 PWD: 44
Name: **Jerzak Barge Terminal Dock.**
Location: Mile 696.5 AOR, left bank, Mississippi River, approximately 0.9 mile below State Highway 61 Bridge. Datum:
Operator: Jerzak Inc.
Owner: Jerzak Inc.
Address: 1700 Marco Drive Phone:
Town: LaCrosse State: WI County: LaCrosse
Railway Connection: None.
Purpose: Receipt of salt; Shipment of sand and gravel.
Depth Alongside (feet): | | Latitude (decimal): 43.795556
Total Berthing Space (feet): | | Longitude (decimal): -91.25972
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32696 Dock Code: 502 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 697 PWD: 45
Name: **La Crosse Plumbing Supply Co. Dock.**
Location: Mile 697.3 AOR, left bank, Mississippi River, approximately 600 feet below State Highway 61 Bridge. Datum:
Operator: La Crosse Plumbing Supply Co.
Owner: La Crosse Plumbing Supply Co.
Address: 106 Cameron Avenue. Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Occasional receipt of cast iron pipe.
Depth Alongside (feet): | | Latitude (decimal): 43.806667
Total Berthing Space (feet): | | Longitude (decimal): -91.25778
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32697 Dock Code: 422 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 698 PWD: 47
Name: **Cargill, Inc., La Crosse Grain Elevator Dock.**
Location: Mile 697.5 AOR, left bank, Mississippi River, approximately 500 feet above State Highway 61 Bridge. Datum:
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 416 South Front Street Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 43.810833
Total Berthing Space (feet): | | Longitude (decimal): -91.25778
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32697 Dock Code: 732 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 698 PWD: 48
Name: **LaFayette Park, Excursion Boat Dock.**
Location: Mile 698.2 AOR, left bank, Mississippi River, at entrance to Black River. Datum:
Operator: River Boats America, Inc.
Owner: River Boats America, Inc.
Address: LaFayette Park. Phone:
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Landing for excursion vessel 'La Crosse Queen'.
Depth Alongside (feet): | | Latitude (decimal): 43.818056
Total Berthing Space (feet): | | Longitude (decimal): -91.25611
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32698 Dock Code: 104 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 724 PWD: 152
Name: **Modern Transport Terminal, Lower Wharf.**
Location: Mile 724.2 AOR, right bank, Mississippi River, Winona, approximately 1.5 miles below State Highway 54 Br Datum: NPE*
Operator: LaFarge Corp. and Benson-Quinn Co.
Owner: Modern Transport Inc.
Address: 850 East Front Street Phone: 507/457-3414
Town: Winona State: MN County: Winona
Railway Connection: Trackage serving undertrack pit connects with CP Rail System.
Purpose: Receipt of bulk cement; Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.048889
Total Berthing Space (feet): 380 | | Longitude (decimal): -91.61306
Remarks: LaFarge Corp.: One 8-inch pneumatic pipeline extends from platform to one 1,440 ton capacity steel storage tank at terminal in rear. □ Benson-Quinn Co.: Grain Elevator at rear consisting of 2 concrete silos has total capacity for 250,000 bushels. □ One 6-inch pipeline for liquid fertilizer (inactive at time of survey) extends from platform to 2 steel storage tanks, total capacity 546,000 gallons. □ *NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32724 Dock Code: 401 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 724 PWD: 153
Name: **ST Services, Winona Terminal Dock.**
Location: Mile 724.2 AOR, right bank, Mississippi River, Winona, approximately 1.7 miles below State Highway 54 Br Datum: NPE*
Operator: ST Services.
Owner: ST Services.
Address: 1020 East 2nd Street Phone: 507/452-2045
Town: Winona State: MN County: Winona
Railway Connection: One surface track serves terminal in rear; connects with Burlington Northern, Railroad.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.046944
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.60972
Remarks: One 10-, one 8-, and one 6-inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 8,255,200 gallons. □ *NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32724 Dock Code: 021 St. Paul District

Port Series No. 69

Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 724 PWD: 154
 Name: **Winona Barge Terminal Wharf.**
 Location: Mile 724.2 AOR, right bank, Mississippi River, Winona, approximately 1.8 miles below State Highway 54 Br Datum: NPE*
 Operator: Winona Barge Terminal.
 Owner: Rosen Diversified Inc.
 Address: 1000 East 3rd Street Phone: 507/452-7908
 Town: Winona State: MN County: Winona
 Railway Connection: Four surface tracks with total capacity for 50 cars serve undertrack pit and shipping conveyors; connect with CP Rail System.
 Purpose: Receipt and shipment of fertilizer and other miscellaneous bulk materials.
 Depth Alongside (feet): 10 | | Latitude (decimal): 44.046389
 Total Berthing Space (feet): 225 | | Longitude (decimal): -91.60861
 Remarks: Bulk storage building has capacity for 15,000 tons of fertilizer; Open storage area at rear has capacity for 65,000 tons of material. □ *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32724 Dock Code: 012 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 725 PWD: 150
 Name: **Bay State Milling Co. Dock.**
 Location: Mile 725.3 AOR, right bank, Mississippi River, Winona, approximately 0.5 mile below State Highway 54 Bri Datum: NPE*
 Operator: Not operated.
 Owner: Bay State Milling Co.
 Address: 55 Franklin Street Phone: 507/452-1770
 Town: Winona State: MN County: Winona
 Railway Connection: Three surface tracks serve plant in rear; connect with Dakota Minnesota & Eastern Railroad.
 Purpose: Not used.
 Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 44.054167
 Total Berthing Space (feet): 285 | | Longitude (decimal): -91.63222
 Remarks: *NPE = 645.5 MSL Wharf
 formerly was used for receipt of grain. Proces maintains a concrete grain elevator with storage capacity for 1,000,000 bushels.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32725 Dock Code: 203 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 725 PWD: 151
Name: **Modern Transport Terminal, Upper Wharf.**
Location: Mile 724.3 AOR, right bank, Mississippi River, Winona, approximately 1.4 miles below State Highway 54 Br Datum: NPE*
Operator: Modern Transport Inc.
Owner: Modern Transport Inc.
Address: 850 East Front Street Phone: 507/452-3918
Town: Winona State: MN County: Winona
Railway Connection: None.
Purpose: Receipt of dry bulk materials: fertilizer, cottonseed, salt and fly ash.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.05
Total Berthing Space (feet): 260 | | Longitude (decimal): -91.615
Remarks: Steel storage building in rear has capacity for 6,500 tons of fertilizer and 3,000 tons of cottonseed. □
*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32724 Dock Code: 401 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 726 PWD: 149
Name: **City Of Winona, Levee Park Dock.**
Location: Mile 725.6 AOR, right bank, Mississippi River, Winona, approximately 1,000 feet below State Highway 54 B Datum: NPE*
Operator: City of Winona.
Owner: City of Winona.
Address: Foot of Johnson Street Phone: 507/457-8258
Town: Winona State: MN County: Winona
Railway Connection: None.
Purpose: Mooring vessels on exhibition and occasionally river excursion vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.055278
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.63639
Remarks: *NPE = 645.5 MSL. □ □
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32725 Dock Code: 602 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 727 PWD: 144
 Name: **Archer Daniels Midland Co., Winona Grain Elevator Dock.**
 Location: Mile 727.1 AOR, right bank, Mississippi River, south side of Crooked Slough Channel, Winona. Datum: NPE*
 Operator: ADM/Growmark division of Archer Daniels Midland Co.
 Owner: Archer Daniels Midland Co.
 Address: 1155 River View Drive Phone: 507/452-3562
 Town: Winona State: MN County: Winona
 Railway Connection: Two surface tracks with total capacity for 50 cars serve undertrack pit; connect with Dakota Minnesota & Eastern Railroad.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 44.059444
 Total Berthing Space (feet): 400 | | Longitude (decimal): -91.66528
 Remarks: Grain elevator at rear consisting of 4 concrete silos with 4 interstices has capacity for 300,000 bushels. □ *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32726 Dock Code: 501 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 727 PWD: 146
 Name: **Harvest States Cooperatives, Winona Terminal Barge-Loading Dock.**
 Location: Mile 726.9 AOR, right bank, Mississippi River, Winona, south side of channel. Datum: NPE*
 Operator: Harvest States Cooperatives.
 Owner: Harvest States Cooperatives.
 Address: 988 River View Drive Phone: 507/452-1992
 Town: Winona State: MN County: Winona
 Railway Connection: Three surface tracks with total capacity for 25 cars serve undertrack pit; connect with Dakota Minnesota & Eastern Railroad.
 Purpose: Shipment of grain.
 Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 44.059444
 Total Berthing Space (feet): 400 | | Longitude (decimal): -91.66306
 Remarks: Grain elevator at rear consisting of 8 concrete silos with 21 interstices and one flat storage building has total capacity for 611,000 bushels. □ *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32726 Dock Code: 901 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 727 PWD: 145
Name: **Kujak Brothers, Dock No. 1.**
Location: Mile 727.0 AOR, right bank, Mississippi River, Winona, south side of channel. Datum: NPE*
Operator: Kujak Brothers Corp.
Owner: City of Winona.
Address: 978 River View Drive Phone: 507/454-5421
Town: Winona State: MN County: Winona
Railway Connection: One surface track on opposite side of road; connects with Dakota Minnesota & Eastern Railroad.
Purpose: Receipt of miscellaneous dry bulk materials, including coal, fertilizer, and salt; shipment of grain and bulk lime.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.059444
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.66417
Remarks: Open storage area at rear has capacity for approximately 3,000 tons of material. Two concrete storage silos at rear have total capacity for 15,000 tons of fertilizer. □*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32726 Dock Code: 951 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 727 PWD: 147
Name: **Kujak Brothers, Dock No. 2.**
Location: Mile 726.9 AOR, right bank, Mississippi River, Winona, south side of channel. Datum: NPE*
Operator: Kujak Brothers Corp.
Owner: City of Winona.
Address: 978 River View Drive Phone: 507/454-5421
Town: Winona State: MN County: Winona
Railway Connection: None.
Purpose: Receipt of coal and salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.059444
Total Berthing Space (feet): 260 | | Longitude (decimal): -91.66333
Remarks: Open storage area at rear has capacity for approximately 200,000 tons of material. □*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32726 Dock Code: 951 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 727 PWD: 148
 Name: **Winona Marine Co., Fleet Moorings.**
 Location: Miles 727.2-726.3 AOR, right bank, Mississippi River; Winona, south side of channel). Datum: NPE*
 Operator: Winona Marine Co.
 Owner: City of Winona.
 Address: Phone: 507/454-6026
 Town: Winona State: MN County: Winona
 Railway Connection: None.
 Purpose: Mooring barges for fleetings.
 Depth Alongside (feet): 6 - 9 | 6 - 9 | 6 - 10 Latitude (decimal): 44.059444
 Total Berthing Space (feet): 15 | 20 | 33 Longitude (decimal): -91.65417
 Remarks: Fleets are arranged in tiers up to 4 barges wide and have total capacity for approximately 75 barges.□
 *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32725 Dock Code: 501 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 728 PWD: 143
 Name: **Artco River Services, Winona Fleet Moorings.**
 Location: Miles 727.3-727.1 & 726.6-726.3 AOR, right bank, Mississippi River, south side of Crooked Slough Channel Datum: NPE*
 Operator: ARTCO River Services.
 Owner: City of Winona.
 Address: 1155 River View Drive Phone: 507/452-7703
 Town: Winona State: MN County: Winona
 Railway Connection: None.
 Purpose: Mooring barges for fleetings.
 Depth Alongside (feet): 7 - 9 | | 7 - 9 Latitude (decimal): 44.06
 Total Berthing Space (feet): 20 | | 24 Longitude (decimal): -91.66778
 Remarks: Upper fleet is arranged in 4 tiers up to 6 barges wide. Lower fleet is arranged in 8 tiers each 3 barges wide.□ *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32725 Dock Code: 202 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 734 PWD: 58
Name: **U.S. Army Corps of Engineers, Fountain City Service Base Dock.**
Location: Mile 733.5 AOR, left bank, Mississippi River, Fountain City, approximately one half mile above Fountain Datum:
Operator: U. S. Army Corps of Engineers.
Owner: U. S. Government.
Address: 431 North Shore Drive. Phone:
Town: Fountain City State: WI County: Buffalo
Railway Connection: None.
Purpose: Handling construction materials, machinery, and equipment, including Lock and Dam apparatus; mooring government-owned floating equipment.
Depth Alongside (feet): | | Latitude (decimal): 44.136389
Total Berthing Space (feet): | | Longitude (decimal): -91.72639
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32733 Dock Code: 302 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 751 PWD: 59
Name: **Dairyland Power Cooperative, Alma Power Plant Dock.**
Location: Mile 751.4 AOR, left bank, Mississippi River, Alma, approximately 1.5 miles below Lock and Dam No. 4. Datum:
Operator: Dairyland Power Cooperative and Genoa Dock Corp.
Owner: Dairyland Power Cooperative.
Address: 1430 Main Street South. Phone:
Town: Alma State: WI County: Buffalo
Railway Connection: None.
Purpose: Receipt of coal; mooring barges for fleeting (see Remarks).
Depth Alongside (feet): | | Latitude (decimal): 44.306667
Total Berthing Space (feet): | | Longitude (decimal): -91.91222
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32751 Dock Code: 502 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **MISSISSIPPI RIVER** Mile: 789 PWD: 141
 Name: **Northern States Power Co., Red Wing Steam Plant Dock.**
 Location: Mile 789.3, right bank, Mississippi River, approximately one mile below U.S. Highway 63 Bridge. Datum: NPE*
 Operator: Not operated.
 Owner: Northern States Power Co.
 Address: 801 East Fifth Street Phone: 612/388-8825
 Town: Red Wing State: MN County: Goodhue
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 9 | | Latitude (decimal): 44.569444
 Total Berthing Space (feet): 1100 | | Longitude (decimal): -92.51333
 Remarks: *NPE = 687.2 MSL.□□
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32789 Dock Code: 401 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 789 PWD: 142
 Name: **Red Wing River Towing, Fleet Mooring.**
 Location: Miles 789.0 to 788.5 AOR, left bank, Mississippi River, Red Wing, along Island on Wisconsin side of chan Datum: NPE*
 Operator: Red Wing River Towing.
 Owner: Red Wing Holding Co. and G. W. Salmonson.
 Address: Route 2, Box 241 Phone: 612/388-6324
 Town: Red Wing State: MN County: Pierce
 Railway Connection: None.
 Purpose: Mooring barges for fleetting.
 Depth Alongside (feet): 7 - 11 | | Latitude (decimal): 44.569167
 Total Berthing Space (feet): 27 | | Longitude (decimal): -92.50056
 Remarks: *NPE = 667.0 MSL Upper
 and lower sections are arranged in blocks 3 ba 5-barges long, respectively.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32789 Dock Code: 020 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 791 PWD: 140
Name: **Archer Daniels Midland Co., Red Wing Plant Dock.**
Location: Mile 790.7 AOR, right bank, Mississippi River, approximately 500 feet above U.S. Highway 63 Bridge. Datum: NPE*
Operator: Archer-Daniels-Midland Co.
Owner: City of Red Wing.
Address: 118 Main Street Phone: 612/388-7111
Town: Red Wing State: MN County: Goodhue
Railway Connection: Four surface tracks serve 2 undertrack pits and plant in rear; connect with CP Rail System.
Purpose: Shipment of grain, meal, sunflower oil, and linseed oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.568611
Total Berthing Space (feet): 565 | | Longitude (decimal): -92.53417
Remarks: One 6-inch pipeline extends to wharf from 3 storage tanks at plant in rear, total capacity 3,100,000 gallons. Grain elevator at rear consisting of 21 concrete silos has capacity for 650,000 bushels.
□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32790 Dock Code: 702 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 791 PWD: 138
Name: **Continental Grain Co., Red Wing Elevator Dock.**
Location: Mile 791.1 AOR, right bank, Mississippi River, Red Wing, approximately 0.5 mile above U.S. Highway 63 Br Datum: NPE*
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: 810 Levee Street Phone: 612/388-0731
Town: Red Wing State: MN County: Goodhue
Railway Connection: Two surface tracks serve undertrack pit; connect with CP Rail System.
Purpose: Shipment of grain.
Depth Alongside (feet): 14 | | Latitude (decimal): 44.565833
Total Berthing Space (feet): 1200 | | Longitude (decimal): -92.54083
Remarks: Grain elevator at rear, consisting of 18 concrete silos with 8 interstices, one steel tank, and 18 head-house bins, has capacity for 2,000,000 bushels. Upper bulkhead and lower dolphins provide mooring space for barges wide. □□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32791 Dock Code: 031 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 791 PWD: 139
Name: **Red Wing Levee Wall Dock.**
Location: Mile 790.9 AOR, right bank, Mississippi River, approximately 0.5 mile above U.S. Highway 63 Bridge. Datum: NPE*
Operator: St Croix Boat & Packet Co.
Owner: City of Red Wing.
Address: Phone: 612/430-1234
Town: Red Wing State: MN County: Goodhue
Railway Connection: None.
Purpose: Landing for river excursion vessel 'Schatze'; Mooring transient vessels.
Depth Alongside (feet): 4 - 10 | | Latitude (decimal): 44.567222
Total Berthing Space (feet): 600 | | Longitude (decimal): -92.53778
Remarks: *NPE = 667.0 MSL □ □
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32790 Dock Code: 901 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 792 PWD: 137
Name: **Red Wing Municipal Terminal Wharf.**
Location: Mile 791.5 AOR, right bank, Mississippi River, Red Wing, approximately one mile above U.S. Highway 63 Br Datum: NPE*
Operator: Holst Excavating Co.
Owner: Red Wing Port Authority.
Address: Levee Road Phone: 612/388-4781
Town: Red Wing State: MN County: Goodhue
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous dry bulk materials.
Depth Alongside (feet): 11 | | Latitude (decimal): 44.565833
Total Berthing Space (feet): 800 | | Longitude (decimal): -92.55389
Remarks: *NPE = 667.0 MSL □ □
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32790 Dock Code: 701 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **MISSISSIPPI RIVER** Mile: 823 PWD: 136
Name: **CF Industries, Rosemount Fertilizer Terminal, Dock No. 1.**
Location: Mile 823.4 AOR, right bank, Mississippi River, Rosemount, inner end, lower side at head of dredged inlet Datum: NPE*
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: 5300 Pine Bend Trail Phone: 612/437-6366
Town: Rosemount State: MN County: Dakota
Railway Connection: Five surface tracks, total capacity 100 cars, serving 2 undertrack receiving pits; connect with Chicago and North Western Transportation Co. and CP Rail System.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.764167
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.00222
Remarks: Two blanked 6-inch pipelines formerly used for receipt of ethylene glycol extend from wharf to 5 steel storage tanks, total capacity 1,200,000 gallons. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32823 Dock Code: 811 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 823 PWD: 135
Name: **CF Industries, Rosemount Fertilizer Terminal, Dock No. 2.**
Location: Mile 823.4 AOR, right bank, Mississippi River, Rosemount, inner end, upper side at head of dredged inlet Datum: NPE*
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: 5300 Pine Bend Trail Phone: 612/437-6366
Town: Rosemount State: MN County: Dakota
Railway Connection: Five surface tracks, total capacity 100 cars, serving 2 undertrack receiving pits; connect with Chicago and North Western Transportation Co. and CP Rail System.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.764167
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.00444
Remarks: Four timber storage warehouses at terminal in rear have total storage capacity for 200,000 tons of fertilizer. □ *NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32823 Dock Code: 811 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 824 PWD: 134
Name: **CF Industries, Pine Bend Ammonia Terminal Dock.**
Location: Mile 823.6 AOR, right bank, Mississippi River, Rosemount, inner end of dredged rectangular slip, approxi Datum: NPE*
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: 13040 Pine Bend Trail Phone: 612/437-6366
Town: Rosemount State: MN County: Dakota
Railway Connection: One surface track serves loading rack with 3 car stations at terminal in rear; connects with Chicago and North Western Transportation Co. and CP Rail System.
Purpose: Receipt of anhydrous ammonia and liquid fertilizer (urea ammonium nitrate solution).
Depth Alongside (feet): 16 | | Latitude (decimal): 44.765278
Total Berthing Space (feet): 3 | | Longitude (decimal): -93.00806
Remarks: *NPE = 687.2
MSL One 12-inch pipeline extends from wharf to 2 steel a capacity 60,000 tons, and one 12-inch pipeline extends to one 25,000 ton liquid fertilizer storage tank.
Year of Last Survey: 1994 Corps of Engrns Waterway Code: 32823 Dock Code: 821 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 824 PWD: 132
Name: **Koch Refining Co., Dock No. 3.**
Location: Mile 824.0 AOR, right bank, Mississippi River, Pine Bend, inner portion, upper side of rectangular slip. Datum: NPE*
Operator: Koch Refining Co.
Owner: Koch Refining Co.
Address: Junction of State Highways 52 and 55 Phone: 612/437-0521
Town: Pine Bend State: MN County: Dakota
Railway Connection: Plant trackage in rear; connects with Chicago and North Western Transportation Co. and CP Rail System.
Purpose: Shipment of asphalt. (See Remarks.)
Depth Alongside (feet): 12 | | Latitude (decimal): 44.774722
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.02111
Remarks: Wharf is equipped to handle crude oil, however, facilities were not in use at time of survey (1993). One 10-inch pipeline extends to 20 asphalt storage tanks, total capacity 1,723,380 barrels, and one 10-inch pi crude oil storage tanks, total capacity 1,844,500 barrels. □□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrns Waterway Code: 32824 Dock Code: 211 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 824 PWD: 131
Name: **Koch Refining Co., Dock Nos.1 & 2**
Location: Mile 824.0 AOR, right bank, Mississippi River, Pine Bend, outer portion, upper side of rectangular slip. Datum: NPE*
Operator: Koch Refining Co.
Owner: Koch Refining Co.
Address: Junction of State Highways 52 and 55 Phone: 612/437-0521
Town: Pine Bend State: MN County: Dakota
Railway Connection: Plant trackage in rear; connects with Chicago and North Western Transportation Co. and CP Rail System.
Purpose: Shipment of petroleum products.
Depth Alongside (feet): 12 | 12 Latitude (decimal): 44.774167
Total Berthing Space (feet): 402 | 287 Longitude (decimal): -93.01833
Remarks: One 2-inch fueling pipeline serving Dock No. 1 was blanked at time of survey.. Five 8-inch pipelines with connections at each wharf extend from 20 steel storage tanks at refinery in rear, total capacity 873,000 barrel slop oil tank is located at rear. Slip is 1,300 feet long by 200 feet wide extending upstream at a 50x angle to river. A steel sheet pile, retaining wall extends along head of slip and along lower side. □*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32824 Dock Code: 211 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 824 PWD: 133
Name: **Koch Refining Co., Docks Nos. 5 and 6.**
Location: Mile 824.0 AOR, right bank, Mississippi River, Pine Bend, lower side of rectangular slip. Datum: NPE*
Operator: Koch Refining Co.
Owner: Koch Refining Co.
Address: Junction of State Highways 52 and 55 Phone: 612/437-0521
Town: Pine Bend State: MN County: Dakota
Railway Connection: Plant trackage in rear; connects with Chicago and North Western Transportation Co. and CP Rail System.
Purpose: Receipt of crude oil; fueling vessels at Dock No. 6.
Depth Alongside (feet): 12 | Latitude (decimal): 44.773611
Total Berthing Space (feet): 1620 | Longitude (decimal): -93.01861
Remarks: One 10-inch pipeline with a 16-inch connection on Dock No. 5 and a 12-inch connection on Dock No. 6 extends to the crude oil storage tanks described under Ref. No. 132. One 4-inch fueling pipeline serves Dock No □*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32824 Dock Code: 211 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 825 PWD: 64
Name: **Shiely Co., Nelson Plant Dock.**
Location: East of Mile 825.0 AOR, Mississippi River, northwest shore of Baldwin Lake, Lower Grey Cloud Island, Cot Datum:
Operator: Shiely Co.
Owner: Shiely Co.
Address: 11250 Grey Cloud Trail. Phone:
Town: Cottage Grove State: MN County: Washington
Railway Connection: None.
Purpose: Shipment of sand, gravel, and crushed stone.
Depth Alongside (feet): | | Latitude (decimal): 44.786944
Total Berthing Space (feet): | | Longitude (decimal): -93.00194
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32825 Dock Code: 201 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 827 PWD: 65
Name: **Shiely Co., Carl Larson Keystone Plant Dock.**
Location: Mile 826.6 AOR, left bank, Mississippi River, west shore, Upper Grey Cloud Island, St. Paul Park. Datum:
Operator: Shiely Co.
Owner: Shiely Co.
Address: 10120 Grey Cloud Island Drive S. Phone:
Town: St. Paul Park State: MN County: Washington
Railway Connection: None.
Purpose: Shipment of crushed stone.
Depth Alongside (feet): | | Latitude (decimal): 44.805
Total Berthing Space (feet): | | Longitude (decimal): -93.01333
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32826 Dock Code: 612 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 830 PWD: 66
Name: **Ashland Petroleum Co., St. Paul Park Refinery Dock.**
Location: Mile 830.0 AOR, left bank, Mississippi River, St. Paul Park, above foot of Broadway Avenue extended. Datum:
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 100 W. 3rd Avenue Phone:
Town: St. Paul Park State: MN County: Washington
Railway Connection: Two surface tracks serve refinery at rear; connect with CP Rail System.
Purpose: Receipt and shipment of asphalt and petroleum products; loading midstream bunkering barge (see Remarks).
Depth Alongside (feet): | | Latitude (decimal): 44.848056
Total Berthing Space (feet): | | Longitude (decimal): -93.00806
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 005 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 831 PWD: 130
Name: **Dakota Bulk Terminal, Inc.**
Location: Mile 831.2 AOR, right bank, Mississippi River, South St. Paul approximately 1.2 mile below Interstate Hi Datum: NPE*
Operator: Dakota Bulk Terminal, Inc..
Owner: Dakota Bulk Terminal, Inc.
Address: 925 Hardman Avenue South. Phone: 612/451-1414
Town: Dakota Bulk Term State: in County: Dakota
Railway Connection: Five surface tracks, one serving undertrack pit on north side of slip, total capacity 75 cars; connect with Chicago and North Western Transportation Co., Burlington Northern Railroad and CP Rail System.
Purpose: Receipt and shipment of general cargo; receipt of steel, lumber, paper products, twine, coal, shell, aggregate, and salt; shipment of grain, livestock feed and pelletized sugar beets.grain
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 44.853333
Total Berthing Space (feet): 800 | 800 | 1000 Longitude (decimal): -93.01833
Remarks: One 960- by 100-, and 200-foot, steel frame, building with aluminum siding, and concrete floor has storage space for 40,000 to 50,000 tons of feed products. Ancillary facilities at terminal include a pelletizing area for approximately 100,000 tons of salt.□□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 020 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 832 PWD: 67
Name: **Erickson Petroleum Corp. Dock.**
Location: Mile 832.2 AOR, left bank, Mississippi River, Newport, approximately 1,000 feet below Interstate Highway Datum:
Operator: Erickson Petroleum Corp.
Owner: Erickson Petroleum Corp.
Address: 50 21st Street Phone:
Town: Newport State: MN County: Washington
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): | | Latitude (decimal): 44.878056
Total Berthing Space (feet): | | Longitude (decimal): -93.01306
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 025 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 833 PWD: 74
Name: **Upper River Services, Pig's Eye and North Star Steel, Fleet Moorin**
Location: East of Mile 833.2-834.2, left bank, Mississippi River, East and West sides of Red Rock Channel, above Mi Datum:
Operator: Upper River Services, Inc.
Owner: Port Authority of the City of St. Paul.
Address: 1401 Red Rock Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): | | Latitude (decimal): 44.901667
Total Berthing Space (feet): | | Longitude (decimal): -93.02306
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 146 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 834 PWD: 69
Name: **Barton Enterprises Dock.**
Location: East of Mile 834.2 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum:
Operator: Barton Enterprises, Inc.
Owner: Port Authority of the City of St. Paul.
Address: 1359 Red Rock Road, Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track serves tank car rack at plant in rear; connects with Burlington Northern Railroad and CP Rail System.
Purpose: Receipt of asphalt.
Depth Alongside (feet): | | Latitude (decimal): 44.900278
Total Berthing Space (feet): | | Longitude (decimal): -93.02083
Remarks:
Year of Last Survey: 1994 Corps of Engns Waterway Code: 32840 Dock Code: 147 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 834 PWD: 70
Name: **Dakota Barge Service, Office Boat Mooring.**
Location: East of Mile 834.4 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum:
Operator: Dakota Barge Service Inc.
Owner: St. Paul Terminals Inc.
Address: 1303 Red Rock Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring towboats for fueling, pumping bilges, and repair.
Depth Alongside (feet): | | Latitude (decimal): 44.902222
Total Berthing Space (feet): | | Longitude (decimal): -93.02139
Remarks:
Year of Last Survey: 1994 Corps of Engns Waterway Code: 32840 Dock Code: 075 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 834 PWD: 68
Name: **Lafarge Corp., Red Rock Cement Terminal Dock.**
Location: East of Mile 834.0 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum:
Operator: Lafarge Corp.
Owner: Port Authority of the City of St. Paul.
Address: 1363 Red Rock Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Receipt of cement.
Depth Alongside (feet): | | Latitude (decimal): 44.899444
Total Berthing Space (feet): | | Longitude (decimal): -93.02139
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 040 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 834 PWD: 75
Name: **Upper River Services - Red Rock, North Star, and Kaposia, Fleet Mo**
Location: Miles 833.6-834.3, left bank, Mississippi River, St. Paul. Datum:
Operator: Upper River Services, Inc.
Owner: Port Authority of the City of St. Paul.
Address: Phone:
Town: , St. Paul. State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): | | Latitude (decimal): 44.898333
Total Berthing Space (feet): | | Longitude (decimal): -93.02806
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 146 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 835 PWD: 76
Name: **Dakota Barge Service, Beltline Fleet Mooring.**
Location: Mile 835.1 - 835.6 AOR, left bank, Mississippi River, St. Paul, below Chicago and North Western Transpo Datum:
Operator: Dakota Barge Service, Inc.□□
Owner: Port Authority of the City of St. Paul.
Address: Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetling.
Depth Alongside (feet): | | Latitude (decimal): 44.912222
Total Berthing Space (feet): | | Longitude (decimal): -93.045
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 074 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 835 PWD: 71
Name: **Dakota Barge Service, Repair Yard Wharf.**
Location: East of Mile 834.5 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum:
Operator: Dakota Barge Service Inc.
Owner: St. Paul Terminals Inc.
Address: 1303 Red Rock Road. Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring vessels and barges for maintenance and repair.
Depth Alongside (feet): | | Latitude (decimal): 44.903611
Total Berthing Space (feet): | | Longitude (decimal): -93.02194
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 075 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 835 PWD: 129
Name: **Dakota Barge Service, South St. Paul and Concord Street Fleet Moor**
Location: Miles 835.0 and 834.6, right bank, Mississippi River, South St. Paul, approximately one mile below Chica Datum: NPE*
Operator: Dakota Barge Service, Inc.
Owner: Dakota Barge Service, Inc.
Address: Central Avenue Phone: 612/731-6399
Town: South St. Paul State: MN County: Dakota
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 9 - 12 | 9 - 12 | Latitude (decimal): 44.900833
Total Berthing Space (feet): 15 | 15 | Longitude (decimal): -93.03889
Remarks: Barges in each fleet are arranged in tiers, each 3 barges wide. □□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 073 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 835 PWD: 72
Name: **Peavey Co., Red Rock River Terminal, Loading Dock.**
Location: East of Mile 834.6 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum:
Operator: Peavey Co.
Owner: Port Authority of the City of St. Paul.
Address: 1061 Red Rock Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: Seven surface tracks serve plant, 2 additional holding tracks, total capacity 110 cars, connect with Burlington Northern Railroad and CP Rail System.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 44.907222
Total Berthing Space (feet): | | Longitude (decimal): -93.02083
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 077 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 835 PWD: 73
 Name: **Peavey Co., Red Rock River Terminal, Unloading Dock.**
 Location: East of Mile 834.7 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum:
 Operator: Peavey Co.
 Owner: Port Authority of the City of St. Paul.
 Address: 1061 Red Rock Road, St. Paul Phone:
 Town: St. Paul State: MN County: Ramsey
 Railway Connection: Seven surface tracks serve plant, 2 additional holding tracks, total capacity 110 cars, connect with Burlington Northern Railroad and CP Rail System.
 Purpose: Receipt of dry bulk commodities including fertilizer, coal, and feed grade phosphates; occasional shipment of petroleum coke.
 Depth Alongside (feet): | | Latitude (decimal): 44.908889
 Total Berthing Space (feet): | | Longitude (decimal): -93.02222
 Remarks:
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 077 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 836 PWD: 124
 Name: **Dakota Barge Service, Dakota Fleet Mooring.**
 Location: Mile 836.1 AOR, right bank, Mississippi River, approximately 2.7 miles below Lafayette Freeway (State Hi) Datum: NPE*
 Operator: Dakota Barge Service, Inc.
 Owner: Port Authority of the City of St. Paul.
 Address: Airport Road. Phone: 612/731-6399
 Town: St. Paul State: MN County: Ramsey
 Railway Connection: None.
 Purpose: Mooring barges for fleeting.
 Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 44.926389
 Total Berthing Space (feet): 21 | | Longitude (decimal): -93.05194
 Remarks: Barges are arranged in tiers, each 3 barges wide. □□*NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 830 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 836 PWD: 127
Name: **Hawkins Chemical, Terminal No. 2 Dock.**
Location: Mile 836.0 AOR, right bank, Mississippi River, inner end, lower side of Southport Industrial Slip, St. P Datum: NPE*
Operator: Hawkins Chemical, Inc.
Owner: Port Authority of the City of St. Paul.
Address: 701 Barge Channel Road Phone: 612/224-1903
Town: St. Paul State: MN County: Ramsey
Railway Connection: Two surface tracks serve plant and tank car rack at rear; connect with Chicago and North Western Transportation Co.
Purpose: Receipt of caustic soda, caustic potash or potassium hydroxide.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.923889
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.05833
Remarks: Two 6-inch pipelines extend from wharf: one to a 640,000-gallon caustic soda storage tank and one to a 400,000-gallon caustic potash or potassium hydroxide storage tank. □*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 152 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 836 PWD: 126
Name: **Lametti & Sons Dock**
Location: Mile 836.0 AOR, right bank, Mississippi River, head of Southport Industrial Slip. Datum: NPE*
Operator: Lametti & Sons
Owner: Port Authority of the City of St. Paul.
Address: Barge Channel Road Phone: 612/426-1380
Town: Southport Ind State: us County: Ramsey
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.924444
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.05861
Remarks: *NPE = 687.2 MSL. □□
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 080 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 836 PWD: 128
 Name: **St. Paul River Terminal Corp. Wharf.**
 Location: Mile 836.0 AOR, right bank, Mississippi River, lower side of Southport Industrial Slip, Datum: NPE*
 St. Paul.
 Operator: St. Paul River Terminal Corp.
 Owner: Port Authority of the City of St. Paul.
 Address: 781 Barge Channel Road Phone: 612/222-1957
 Town: On South Port In State: du County: Ramsey
 Railway Connection: Four surface tracks, one serving undertrack pit, connect with Chicago and North Western Transportation Co.
 Purpose: Receipt of coal and salt; shipment of scrap metal, grain, and dry bulk commodities.
 Depth Alongside (feet): 12 | | Latitude (decimal): 44.922778
 Total Berthing Space (feet): 1400 | | Longitude (decimal): -93.05556
 Remarks: Grain is transferred directly to barges from trucks and rail cars. Open storage area has capacity for 250,000 tons of coal. □ *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 140 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 836 PWD: 125
 Name: **Upper River Services, Southport Slip Fleet Mooring.**
 Location: Mile 836.0 AOR, right bank, Mississippi River, upper side of slip 2.8 miles below Datum: NPE
 Lafayette Freeway (Sta
 Operator: Upper River Services, Inc.
 Owner: Port Authority of the City of St. Paul.
 Address: Barge Channel Access Road. Phone: 612/292-9293
 Town: St. Paul State: MN County: Ramsey
 Railway Connection: None.
 Purpose: Mooring barges for fleetling.
 Depth Alongside (feet): 12 | | Latitude (decimal): 44.923889
 Total Berthing Space (feet): 15 | | Longitude (decimal): -93.0525
 Remarks: Barges are arranged in tiers, each 3 barges wide. □□ *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 079 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 83
Name: **Great Lakes Coal & Dock Co., Barge Terminal Wharf.**
Location: Mile 837.3 AOR, left bank, Mississippi River, St. Paul, approximately 1.4 miles below Lafayette Freeway Datum:
Operator: Great Lakes Coal & Dock Co.
Owner: Port Authority of the City of St. Paul.
Address: 1031 Childs Road Phone:
Town: St. Paul State: County: Ramsey
Railway Connection: One surface track at rear of upper portion of wharf and 7 surface tracks at rear, one serving car pit, have total capacity for 45 cars; connect with tracks of Chicago and North Western Transportation Co.
Purpose: Receipt of steel coils and products, dry bulk commodities, including coal, coke, salt, and slag; shipment of coal and petroleum coke.
Depth Alongside (feet): | | Latitude (decimal): 44.939167
Total Berthing Space (feet): | | Longitude (decimal): -93.05111
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 156 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 84
Name: **Harvest States Cooperatives, Terminal No. 2 Wharf.**
Location: Mile 837.4 AOR, left bank, Mississippi River, St. Paul, approximately 1.3 miles below Lafayette Freeway Datum:
Operator: Harvest States Cooperatives.
Owner: Port Authority of the City of St. Paul.
Address: 935 Childs Road Phone:
Town: St. Paul State: County: Ramsey
Railway Connection: Two surface tracks serve elevator and car pit at rear, capacity 11 full and 11 empty cars; connect with Chicago and North Western Transportation Co.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 44.942222
Total Berthing Space (feet): | | Longitude (decimal): -93.05417
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 167 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 82
Name: **Hawkins Chemical, Terminal No. 1 Dock.**
Location: Mile 837.1 AOR, left bank, Mississippi River, St. Paul, approximately 1.5 miles below Lafayette Freeway Datum:
Operator: Hawkins Chemical, Inc.
Owner: Port Authority of the City of St. Paul.
Address: 1125 Childs Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: Three surface tracks serving 5 loading stations at plant in rear; connect with Chicago and North Western Transportation Co.
Purpose: Receipt of liquid caustic soda.
Depth Alongside (feet): | | Latitude (decimal): 44.9375
Total Berthing Space (feet): | | Longitude (decimal): -93.04972
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 152 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 78
Name: **Koch Materials Co., St. Paul Wharf.**
Location: Mile 836.8 AOR, left bank, Mississippi River, St. Paul, 0.8 mile above Chicago and North Western Transpo Datum:
Operator: Koch Materials Co.
Owner: Port Authority of the City of St. Paul.
Address: 2209 Childs Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track serves plant at rear; connects with Chicago and North Western Transportation Co.
Purpose: Receipt of asphalt.
Depth Alongside (feet): | | Latitude (decimal): 44.930556
Total Berthing Space (feet): | | Longitude (decimal): -93.04778
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 154 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 80
Name: **LaFarge Corp., St. Paul Cement Terminal Dock.**
Location: Mile 837.1 AOR, left bank, Mississippi River, St. Paul, 1.7 miles below Lafayette Datum:
Freeway (State Highway)
Operator: Lafarge Corp.
Owner: Port Authority of the City of St. Paul.
Address: 2145 Childs Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track serving terminal at rear connects with Chicago and North Western Transportation Co.
Purpose: Receipt of cement; occasional shipment of fly ash.
Depth Alongside (feet): | | Latitude (decimal): 44.932222
Total Berthing Space (feet): | | Longitude (decimal): -93.0475
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 155 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 81
Name: **Shiely Co., Yard A Wharf.**
Location: Mile 836.9 AOR, left bank, Mississippi River, St. Paul, approximately 1.6 miles below Datum:
Lafayette Freeway
Operator: Shiely Co.
Owner: Port Authority of the City of St. Paul.
Address: 1177 Childs Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track serving plant in rear connects with Chicago and North Western Transportation Co.
Purpose: Receipt of sand, gravel, and crushed stone.
Depth Alongside (feet): | | Latitude (decimal): 44.934167
Total Berthing Space (feet): | | Longitude (decimal): -93.04778
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 153 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 123
Name: **Upper River Services, Airport Fleet Mooring.**
Location: Mile 837.0 AOR, right bank, Mississippi River, approximately 1.8 mile below Lafayette Freeway (State Hig) Datum: NPE*
Operator: Upper River Services, Inc.
Owner: Port Authority of the City of St. Paul.
Address: Airport Road. Phone: 612/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetling.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 44.934444
Total Berthing Space (feet): 60 | | Longitude (decimal): -93.05222
Remarks: Barges are arranged in tiers, each 3 barges wide. □□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 824 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 79
Name: **Westway Trading Corp., St. Paul Terminal No. 1 Wharf.**
Location: Mile 836.9 AOR, left bank, Mississippi River, St. Paul, 1.8 miles below Lafayette Freeway (State Highway) Datum:
Operator: Westway Trading Corp.
Owner: Port Authority of the City of St. Paul.
Address: 2175 Childs Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: Two surface tracks serve 8-car-capacity tank car rack at rear; connect with Chicago and North Western Transportation Co.
Purpose: Receipt and shipment of molasses and vegetable oils; receipt of ethylene glycol and caustic soda.
Depth Alongside (feet): | | Latitude (decimal): 44.931389
Total Berthing Space (feet): | | Longitude (decimal): -93.04722
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 150 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 77
Name: **Westway Trading Corp., St. Paul Terminal No. 2 Wharf.**
Location: Mile 836.5 AOR, left bank, Mississippi River, St. Paul, 0.6 mile above Chicago and North Western Transpo Datum:
Operator: Westway Trading Corp.
Owner: Port Authority of the City of St. Paul.
Address: 2225 Childs Road Phone:
Town: St. Paul State: County: Ramsey
Railway Connection: One surface track serves plant at rear; connects with Chicago and North Western Transportation Co.
Purpose: Receipt of molasses and liquid fish solubles; occasional shipment of molasses.
Depth Alongside (feet): | | Latitude (decimal): 44.928889
Total Berthing Space (feet): | | Longitude (decimal): -93.04778
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 148 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 838 PWD: 122
Name: **Dakota Barge Service, Hangar Fleet Mooring.**
Location: Mile 837.5 AOR, right bank, Mississippi River, approximately 1.3 miles below Lafayette Freeway (State Hi Datum: NPE*
Operator: Dakota Barge Service Inc.
Owner: Port Authority of the City of St. Paul.
Address: Ridder Circle Phone: 612/731-6399
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 44.942222
Total Berthing Space (feet): 15 | | Longitude (decimal): -93.05889
Remarks: Barges are arranged in tiers, each 3 barges wide. □□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 823 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 838 PWD: 85
Name: **Minnesota Harbor Service, Warner Road Fleet Mooring.**
Location: Mile 838.0 AOR, left bank, Mississippi River, St. Paul, approximately 0.8 mile below Lafayette Freeway (Datum:
Operator: Upper River Services, Inc. dba.Minnesota Harbor Service.
Owner: Port Authority of the City of St. Paul.
Address: 825 Warner Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): | | Latitude (decimal): 44.9475
Total Berthing Space (feet): | | Longitude (decimal): -93.06667
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 190 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 838 PWD: 121
Name: **Upper River Services, Twin City Fleet Mooring.**
Location: Mile 838.4 AOR, right bank, Mississippi River, approximately 0.4 mile below Lafayette Freeway (State Hig Datum: NPE*
Operator: Upper River Services, Inc.
Owner: Port Authority of the City of St. Paul.
Address: 91 Ridder Circle Phone: 612/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 44.945833
Total Berthing Space (feet): 38 | | Longitude (decimal): -93.0675
Remarks: Barges are arranged in tiers, each 3 barges wide.□□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 822 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 839 PWD: 118
 Name: **Dakota Barge Service, Robert Street Fleet Mooring.**
 Location: Mile 839.0 AOR, right bank, Mississippi River, below Robert Street Bridge, St. Paul. Datum: NPE*
 Operator: Dakota Barge Service Inc.
 Owner: Port Authority of the City of St. Paul.
 Address: Foot of State Street Phone: 612/731-6399
 Town: St. Paul State: MN County: Ramsey
 Railway Connection: None.
 Purpose: Mooring barges for fleeting.
 Depth Alongside (feet): 9 | | Latitude (decimal): 44.944167
 Total Berthing Space (feet): 15 | | Longitude (decimal): -93.08444
 Remarks: Barges are arranged in tiers, each 3 barges wide. □ □ *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 790 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 839 PWD: 120
 Name: **Farmland Industries, St. Paul Dock**
 Location: Mile 838.7 AOR, right bank, Mississippi River, approximately 0.1 mile below Lafayette Freeway (State Hig Datum: NPE*
 Operator: Farmland Industries, Inc.
 Owner: Farmland Industries, Inc.
 Address: 50 Chester Street Phone: 612/227-8358
 Town: in St. Paul State: County: Ramsey
 Railway Connection: One surface track at rear of warehouse connects with Chicago and North Western Transportation Co.
 Purpose: Receipt of dry bulk fertilizer.
 Depth Alongside (feet): 14 | | Latitude (decimal): 44.946111
 Total Berthing Space (feet): 195 | | Longitude (decimal): -93.07639
 Remarks: One 300- by 175-foot steel frame, composite siding, concrete floor warehouse in rear has capacity for approximately 13,000 tons of fertilizer. □ *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 818 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 839 PWD: 86
 Name: **Lambert's Landing**
 Location: Mile 839.0 AOR, left bank, Mississippi River, St. Paul, between Lafayette Freeway (State Highway 56) Bri Datum:
 Operator: Port Authority of the City of St. Paul.
 Owner: Port Authority of the City of St. Paul.
 Address: 235 Warner Road Phone:
 Town: St. Paul State: County: Ramsey
 Railway Connection: None.
 Purpose: Mooring towboats, excursion vessels, and vessels on exhibit.
 Depth Alongside (feet): | | Latitude (decimal): 44.946389
 Total Berthing Space (feet): | | Longitude (decimal): -93.08361
 Remarks:
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 197 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 839 PWD: 119
 Name: **Upper River Services, State Street Yard Dock**
 Location: Mile 838.8 AOR, right bank, Mississippi River, under Lafayette Freeway (State Highway 3) Bridge, St. Pau Datum: NPE*
 Operator: Upper River Services, Inc.
 Owner: Upper River Services, Inc.
 Address: 40 State Street Phone: 612/292-9293
 Town: State Street Yar State: d County: Ramsey
 Railway Connection: None.
 Purpose: Mooring barges for cleaning and repair; mooring floating drydocks.
 Depth Alongside (feet): 9 | | Latitude (decimal): 44.945278
 Total Berthing Space (feet): 1316 | | Longitude (decimal): -93.08028
 Remarks: One 500- and one 400-ton floating drydocks are moored at wharf. Marine repair plant is located at rear. □ *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 802 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 840 PWD: 87
Name: **Dakota Barge Service, High Bridge Fleet Mooring.**
Location: Mile 840.1, left bank, Mississippi River, St. Paul, below High Bridge (State Highway 49). Datum:
Operator: Dakota Barge Service, Inc..
Owner: Port Authority of the City of St. Paul.
Address: 501 Shepard Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): | | Latitude (decimal): 44.935833
Total Berthing Space (feet): | | Longitude (decimal): -93.10361
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 220 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 841 PWD: 117
Name: **Minnesota Harbor Service, Dock and Fleet Moorings.**
Location: Mile 840.6 AOR, right bank, Mississippi River, above High Bridge (State Highway 49), St. Paul. Datum: NPE*
Operator: Minnesota Harbor Service, d.b.a. Upper River Services, Inc.
Owner: Port Authority of the City of St. Paul.
Address: 415 W. Water Street Phone: 612/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges and towboats for repair, cleaning, and maintenance; mooring floating drydocks; and mooring barges for fleetings (see Remarks).
Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 44.930556
Total Berthing Space (feet): 550 | 12 | 12 Longitude (decimal): -93.105
Remarks: One 700-ton floating drydock is moored at wharf. Wharf barges contain marine repair shops and equipment. Company operates fleet mooring at mile 841.0 on left bank, and on right bank at lower side of wharf. Bar arranged in tiers, each 3 barges wide. □□*NPE = 687.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 779 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 841 PWD: 89
Name: **Northern States Power Co., High Bridge, Power Plant Wharf.**
Location: Mile 840.8 AOR, left bank, Mississippi River, St. Paul, approximately 0.4 mile above High Bridge (State) Datum:
Operator: Upper River Services Inc.
Owner: Northern States Power Co.
Address: 501 Shepherd Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: Surface tracks serve plant and car pit at rear; connect with CP Rail System.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): | | Latitude (decimal): 44.93
Total Berthing Space (feet): | | Longitude (decimal): -93.11028
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 232 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 841 PWD: 90
Name: **The UNO-VEN Company, St. Paul Dock.**
Location: Mile 841.0 AOR, left bank, Mississippi River, St. Paul, head of slip approximately 0.6 mile above High Datum:
Operator: The UNO-VEN Company
Owner: The UNO-VEN Company
Address: 747 Shepard Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): | | Latitude (decimal): 44.928056
Total Berthing Space (feet): | | Longitude (decimal): -93.11417
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 234 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 841 PWD: 88
Name: **Upper River Services Service Dock & Fleet**
Location: Mile 840.6 AOR, left bank, Mississippi River, St. Paul, approximately 0.2 mile above High Bridge (State) Datum:
Operator: Upper River Services Inc.
Owner: Northern States Power Co.
Address: 501 Shepard Road Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): | | Latitude (decimal): 44.933056
Total Berthing Space (feet): | | Longitude (decimal): -93.10611
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 223 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 842 PWD: 91
Name: **Harvest States Cooperatives, St. Paul Elevator D Wharf.**
Location: Mile 841.7 AOR, left bank, Mississippi River, St. Paul, 0.3 mile above Chicago and North Western Transpo Datum:
Operator: Harvest States Cooperatives.
Owner: Harvest States Cooperatives.
Address: 575 Drake Street Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: Four surface tracks serve 2 car pits at grain elevator in rear; connect with Chicago and North Western Transportation Co.
Purpose: Shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 44.9225
Total Berthing Space (feet): | | Longitude (decimal): -93.12389
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 256 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 842 PWD: 92
Name: **Koch Refining Co., St. Paul Dock.**
Location: Mile 842.2 AOR, left bank, Mississippi River, approximately 0.8 mile above Chicago Datum:
and North Western Tra
Operator: Koch Refining Co.
Owner: Koch Refining Co.
Address: 778 Otto Avenue Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: Two surface track serves 8-car capacity loading rack, connects with CP Rail System.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): | | Latitude (decimal): 44.918056
Total Berthing Space (feet): | | Longitude (decimal): -93.13111
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 266 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 842 PWD: 93
Name: **Mobil Pipe Line Co., St. Paul Terminal Dock.**
Location: Mile 842.3 AOR, left bank, Mississippi River, approximately 1.0 mile below Lexington Datum:
(Interstate Highway
Operator: Mobil Pipe Line Co.
Owner: Mobil Pipe Line Co.
Address: 852 Hathaway Street Phone:
Town: St. Paul State: MN County: Ramsey
Railway Connection: Two surface tracks, total capacity 12 cars serve terminal; connect with CP Rail System.
Purpose: Receipt of petroleum products and ethanol.
Depth Alongside (feet): | | Latitude (decimal): 44.916667
Total Berthing Space (feet): | | Longitude (decimal): -93.13194
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 268 St. Paul District

Port Series No. 69 **Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)**

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 843 PWD: 116
 Name: **Shiely Co., Yard B Wharf.**
 Location: Mile 843.3 AOR, right bank, Mississippi River, Mendota, below Interstate Highway 35E Bridge. Datum: NPE*
 Operator: Shiely Co.
 Owner: Shiely Co.
 Address: Highway 13 and Victory Road Phone: 612/683-8119
 Town: Mendota State: MN County: Dakota
 Railway Connection: None.
 Purpose: Receipt of sand, gravel, and crushed stone.
 Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 44.904167
 Total Berthing Space (feet): 400 | | Longitude (decimal): -93.13722
 Remarks: Open storage area at plant atop bluff in rear has capacity for approximately 200,000 tons of material. □
 *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 722 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 844 PWD: 115
 Name: **Upper River Services, Minnesota River Mouth Fleet Mooring.**
 Location: Mile 843.8 AOR, right bank, Mississippi River, approximately 0.5 mile above Interstate Highway 35E Bridge. Datum: NPE*
 Operator: Upper River Services, Inc.
 Owner: Upper River Services, Inc.
 Address: 40 State Street Phone: 612/292-9293
 Town: Mendota State: MN County: Dakota
 Railway Connection: None.
 Purpose: Mooring barges for fleetings.
 Depth Alongside (feet): 9 | | Latitude (decimal): 44.898889
 Total Berthing Space (feet): 12 | | Longitude (decimal): -93.14528
 Remarks: Barges are arranged in tiers, each 2 barges wide. □ □ *NPE = 687.2 MSL.
 Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32840 Dock Code: 720 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 853 PWD: 102
Name: **General Mills, WCCO Grain Elevator Wharf.**
Location: Mile 853.4 AOR, right bank, Mississippi River, between St. Anthony Falls Upper Lock and Dam, and St. Ant Datum: NPE*
Operator: General Mills, Inc.
Owner: City of Minneapolis.
Address: 928 South 2d Street Phone: 612/338-1923
Town: Minneapolis State: MN County: Hennepin
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 44.978889
Total Berthing Space (feet): 830 | | Longitude (decimal): -93.2525
Remarks: Grain elevator at rear consisting of 242 concrete bins has total capacity for 5 million bushels. □ *NPE = 750.0 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32853 Dock Code: 789 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 853 PWD: 94
Name: **University of Minnesota, Coal Dock.**
Location: Mile 853.1 AOR, left bank, Mississippi River, Minneapolis, between CP Rail System and Interstate Highway Datum:
Operator: Not operated.
Owner: University of Minnesota.
Address: 1180 E. River Flats Avenue Phone:
Town: St. Paul State: MN County: Hennepin
Railway Connection: None.
Purpose: Not used. (See Remarks).
Depth Alongside (feet): | | Latitude (decimal): 44.978889
Total Berthing Space (feet): | | Longitude (decimal): -93.24222
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32853 Dock Code: 083 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 856 PWD: 100
Name: **American Iron and Supply Co. Dock.**
Location: Mile 856.2 AOR, right bank, Mississippi River, Minneapolis, approximately 1,000 feet below Lowry Avenue Datum: NPE*
Operator: American Iron and Supply Co.
Owner: American Iron and Supply Co.
Address: 2800 Pacific Street, North Phone: 612/529-9221
Town: Minneapolis State: MN County: Hennepin
Railway Connection: One surface track serves scrap metal storage area at rear; connects with CP Rail System.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 10 | | Latitude (decimal): 45.01
Total Berthing Space (feet): 520 | | Longitude (decimal): -93.17528
Remarks: Open storage area at rear has capacity for approximately 3,000 tons of scrap metal. □ *NPE = 799.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32853 Dock Code: 699 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 856 PWD: 101
Name: **Shiely Co., Yard D Wharf.**
Location: Mile 856.1 AOR, right bank, Mississippi River, Minneapolis, approximately 2,000 feet below Lowry Avenue Datum: NPE*
Operator: Shiely Co.
Owner: Shiely Co.
Address: 65 North 26th Avenue Phone: 612/683-8119
Town: Minneapolis State: MN County: Hennepin
Railway Connection: None.
Purpose: Receipt of sand, gravel, and crushed stone.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 45.0075
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.27583
Remarks: Open storage area at rear has capacity for approximately 60,000 tons of material. □ *NPE = 799.2 MSL.
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32853 Dock Code: 690 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 857 PWD: 96
Name: **Holnam, Minneapolis Cement Terminal Dock.**
Location: Mile 857.0 AOR, right bank, Mississippi River, Minneapolis, approximately 0.2 mile below CP Rail System Datum:
Operator: Holnam, Inc.
Owner: Holnam, Inc.
Address: 3939 First Street, North Phone:
Town: Minneapolis State: MN County: Hennepin
Railway Connection: Three surface tracks serve undertrack pit at terminal in rear; connect with CP Rail System.
Purpose: Receipt of cement.
Depth Alongside (feet): | | Latitude (decimal): 45.028056
Total Berthing Space (feet): | | Longitude (decimal): -93.28167
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32853 Dock Code: 665 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 857 PWD: 95
Name: **Northern States Power Co., Riverside Power Plant Dock.**
Location: Mile 857.1 AOR, left bank, Mississippi River, Minneapolis, approximately 0.7 mile above Lowry Avenue Bri Datum:
Operator: Not operated.
Owner: Northern States Power Co.
Address: 3100 Marshall Street, N.E. Phone:
Town: Minneapolis State: mn County: Hennepin
Railway Connection: One main track with 4 spur tracks total capacity 70 cars, serves 2 undertrack pits at building in rear; connects with Burlington Northern Railroad.
Purpose: Not used.
Depth Alongside (feet): | | Latitude (decimal): 45.025833
Total Berthing Space (feet): | | Longitude (decimal): -93.27806
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32853 Dock Code: 222 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 857 PWD: 98
Name: **River Services, Minneapolis Bulk-Loading Dock.**
Location: Mile 857.0 AOR, right bank, Mississippi River, Minneapolis, approximately 0.6 mile below CP Rail System Datum:
Operator: River Services, Inc.
Owner: City of Minneapolis.
Address: 3750 Washington Avenue, North Phone:
Town: Minneapolis State: MN County: Hennepin
Railway Connection: One surface track along bank joins 7 surface tracks serving terminal at rear; total capacity 150 cars; connects CP Rail System.
Purpose: Shipment of grain, potash and feed products, and dry bulk commodities including coal.
Depth Alongside (feet): | | Latitude (decimal): 45.022778
Total Berthing Space (feet): | | Longitude (decimal): -93.27861
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32853 Dock Code: 676 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 857 PWD: 97
Name: **River Services, Minneapolis North Dock.**
Location: Mile 857.1 AOR, right bank, Mississippi River, Minneapolis, approximately 0.4 mile below CP Rail System Datum:
Operator: River Services, Inc. and Koch Materials Co.
Owner: City of Minneapolis.
Address: 3750 Washington Avenue, North Phone:
Town: Minneapolis State: MN County: Hennepin
Railway Connection: One surface track along bank joins 7 surface tracks serving terminal at rear; total capacity 150 cars; connects with CP Rail System.
Purpose: Receipt and shipment of general cargo, asphalt, vegetable oil, steel, paper, lumber, grain and dry bulk items including coal, salt, potash, and fertilizer; mooring barges.
Depth Alongside (feet): | | Latitude (decimal): 45.025278
Total Berthing Space (feet): | | Longitude (decimal): -93.28
Remarks:
Year of Last Survey: 1994 Corps of Engrs Waterway Code: 32853 Dock Code: 676 St. Paul District

Port Series No. 69
Port of Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River (Miles 300-860 AOR)

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 857 PWD: 99
Name: **River Services, Minneapolis South Dock.**
Location: Mile 856.8 AOR, right bank, Mississippi River, approximately 0.8 miles below CP Rail Datum:
System Bridge.
Operator: River Services, Inc.
Owner: City of Minneapolis.
Address: 3750 Washington Avenue, North Phone:
Town: Minneapolis State: MN County: Hennepin
Railway Connection: One surface track along bank joins 7 surface tracks serving terminal at rear; total capacity
150 cars; connects CP Rail System.
Purpose: Receipt and shipment of general cargo and heavy-lift items; receipt of steel, paper and lumber
products, grain, dry bulk commodities: coal, salt, potash, and fertilizers; mooring barges for fleeting.
Depth Alongside (feet): | | Latitude (decimal): 45.020278
Total Berthing Space (feet): | | Longitude (decimal): -93.27806
Remarks:
Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32853 Dock Code: 676 St. Paul District
